

1440 COWPATH RD. • HATFIELD, PA 19440 215/361-9099 • Fax: 215/361-9212 www.hunyady.com



`10 CAT D5K XL (1,785 HOURS)



`06 WESTERN STAR (137,270 MILES) WITH `05 LIDDELL 55 TON QUAD AXLE

PRE-SORTED FIRST CLASS MAIL US POSTAGE PAID

UPPER DARBY, PA PERMIT #45



`11 CAT 950H (4,153 HOURS)





ABSOLUTE AUCTION







Notice: R&R Construction Co., Inc. is in the process of realigning their fleet of equipment and therefore has deemed items to be surplus to the current needs. For over 60 years, R&R has enjoyed a stellar reputation for the finest construction services in NJ and surrounding states and will continue these business practices. R&R is recognized for owning an exceptionally well-maintained fleet of equipment and trucks, and these items offered in the auction are no exception. All items in the auction are owned by R&R and will sell to the highest bidder, without minimums or reserves. Please plan to attend! **Location:** 105-B Parker Road, Chester Township, NJ 07930 (Please Note: There will be NO LIVE BIDDING onsite)

Inspection: Items will be available for inspection Wednesday thru Friday, May 4th, 5th, and 6th and Monday and Tuesday, May 9th and 10th from 8:00am until 4:00pm, and sale day morning starting at 7:00am The site is closed Saturday and Sunday.

LIVE, VIRTUAL AUCTION: This auction is being conducted via LIVE, VIRTUAL ONLINE ONLY. There will be NO LIVE BIDDING FROM THE SITE. ADDITIONALLY, there will be NO PAYMENTS accepted at the auction site! Payment must be paid either by wire transfer or credit card.

Terms: Complete payment immediately after receipt of invoice by wire transfer or credit card only. Credit card payments will be charged a 3% processing fee. **Financing:** Financing is available, please contact Susan (215) 361-9099 at the auction company for details.

Online Bidding: Live internet bidding will be provided by Proxibid. Proxibid will charge an Internet Service Provider Fee of 5% to the successful internet bidder for items over \$10,000 and 10% for items \$10,000 and under, for each lot purchased on-line. All bidders are required to register to bid through

Sales Tax: Pursuant to Publication ANJ—3, the State of New Jersey considers this an isolated/casual sale and therefore no sales tax will be charged. **Removal:** After complete payment, items may be removed sale day until 4:00pm. Items may also be removed Thursday and Friday, May 12th and 13th and Monday thru Wednesday, May 16th, 17th, and 18th from 8:00am until 4:00pm. The site is closed Saturday and Sunday, May 14th and 15th. All items must be removed by Wednesday, May 18th, 2022 at 4:00pm.

Sale Site Phone: (800) BID-N-BUY • Sale Site Fax: (888) 859-8958

- DUMP TRUCK AND DUMP TRAILER

2006 KENWORTH T800 Tri-Axle Dump Truck, powered by Cat C15-475 Acert, 475HP diesel engine and Eaton Fuller RTO16908LL, 10 speed transmission, equipped with Beau-Roc 17'6" steel dump body with chute and power tarp, 46,000 lb rears, 20,000 lb Spicer front axle, 20,000 lb steerable lift axle, 3-stage engine brake, Hendrickson spring/beam suspension,



aluminum wheels, cruise control, power windows and locks, 385/65R22.5 front and lift and 11R24.5 rear tires. In good condition with good tires. (Odometer Reads 268,887 Miles) (Meter Reads 5,063 Hours)

2001 DORSEY Model PT3-34-D, 34'
Tri-Axle Dump Trailer, equipped with Dorsey
Magna 34' steel dump body (50 cubic yard) with
roll-rite power tarp, 75,000 lb GVWR, spring
suspension, steel wheels, and 11R24.5 tires.
In good condition with good tires.



- EQUIPMENT ATTACHMENTS

Approximately 4,000 Gallon Steel Drop-In Dump Body Water Tank, equipped with (2) air actuated spray heads, hydraulic pump for spray, hose reel with hose, tail lights, dimensions: 12'7" L x 7' W. In good condition. 8' Heavy Duty Fork Attachment, 4" thick forks, 10' wide carriage, direct pin-on (Volvo 180) ● 10'10" Dipper Stick (Cat 330)

Excavator Digging Buckets: (2) 36" (Volvo 330/460) • 68" (Cat 345/350) • 48" (Cat 335) • 48" (Cat 225) • 40" (Cat 225) • 32" (Cat 312) • 42" (JD 600) • 30" (Komatsu PC340) • 30" (Hitachi 200) • 38" (Wedge Lock Coupler) • 36" (Wedge Lock Coupler) • 30" (Wedge Lock Coupler)

Thumbs: 40" • 34" • 33" • 32" (2) 30" • 24" • 12" (Some With Stiff Arms) (6) Hydraulic Hammer Moil Points

PICKUP AND UTILITY TRUCK

2016 CHEVROLET Model 2500HD Silverado Pickup Truck, powered by Vortec 6.0L V-8 gas engine and automatic transmission, equipped with standard cab, 8' bed, single rear wheels, work truck series, tow package, LED safety lights, and 245/75R7 tires. In good condition with good tires. (Odometer Reads 83,853 Miles)





windows, locks, and mirrors, air conditioning, and 235/0R17 tires. In good condition with good tires. (Odometer Reads 205,275 Miles)

TRENCH BOXES AND MISCELLANEOUS

10'x20'x8" Double Wall, with 36" spreaders • 8'x20'x6" Double Wall, with 60" spreaders • 8'x12'x5" Double Wall, with 48" spreaders • 8'x20'x6" Double Wall, Stackable Top Box

MERITOR Tandem Axle Cutoff Consisting of: Meritor model #RR-23-169, 46,000 lb rear axles, 4.30 ratio, Neway air ride suspension, complete with brake chambers, drive shaft, hangers, etc.

MQ DYNAWELD 400 Diesel DC Welder, Kubota V1205 diesel engine (bad motor-runs but smokes), 400 amp single/200 amp dual welder, 14KW generator. MQ ESSICK EC92 Portable Mortar Mixer, s/n 98922602, Honda 9HP gas. In fair to good condition.

TARGET PRO65 III Concrete Saw, s/n 332270, Wisconsin 65HP gas engine and hydrostatic transmission, with (2) 36" diamond blades

SWEEPSTER 36" Power Broom, Honda 5.5HP • **IMT** 1014, 3,200 lb Mechanics Service Boom • **BRILLION** GLP-642 Seeder (3-Point Hitch)

CRAWLER TRACTORS

1998 CATERPILLAR Model D8R Crawler Tractor, s/n 7XM2714. powered by Cat 3406 diesel engine and powershift transmission, equipped with semi-U blade with tilt, 3rd valve, plumbed for ripper, differential steer, and enclosed ROPS cab with air conditioning. In good condition with fair undercarriage. (Meter Reads 10,447 Hours)



98 CAT D8R



10 CAT D5K XL

2005 JOHN DEERE Model 550J LT **Crawler Tractor.**

s/n 114400, powered by JD diesel engine and hydrostatic transmission, equipped with 6-way blade, ROPS canopy with heat, and 18" SBG pads. In good condition with good undercarriage. (Meter Reads 8,826 Hours)



05 JOHN DEERE 550J LT



99 JOHN DEERE 550H LGP

1999 JOHN DEERE Model 550H LGP Crawler Tractor,

s/n 878037, powered by JD diesel engine and hydrostatic transmission, equipped with 6-way blade, ROPS canopy, and 24" SBG pads. In good condition with fair to good undercarriage. (Meter Reads 09,399 Hours)

HYDRAULIC EXCAVATORS

2004 VOLVO Model **EC460BLC Hydraulic** Excavator, s/n 10807, powered by Volvo diesel engine, equipped with 11'2" dipper stick with auxiliary hydraulics, hydraulic coupler, 60" digging bucket, hydraulic counterweight removal, enclosed ROPS cab with air conditioning, and 35.5" TBG pads. In good condition with good undercarriage. (Meter Reads 12,336 Hours)



2005 VOLVO Model

EC330BLC Hydraulic Excavator, s/n 10484,

powered by Volvo diesel engine, equipped with 10'2"

dipper stick with hydraulic

coupler, auxiliary hydraulics,

48" digging bucket, and 31.5"

TBG pads. In good condition

Reads 02,275 Hours; Actual Hours Approximately 10,500)

with good undercarriage. (Meter

04 VOLVO EC460BLC



05 VOLVO EC330BLC

1999 JOHN DEERE Model 120 Hydraulic Excavator,

s/n 03166, powered by JD diesel engine, equipped with 9'10" dipper stick with auxiliary hydraulics, JRB hydraulic coupler, Geith 24" digging bucket, stiff arm bracket, and 27.5" TBG pads. In good condition with good undercarriage. (Meter Reads 10,569 Hours)



99 JOHN DEERE 120

END DUMPS

2004 VOLVO Model A40D. 40 Ton, 6x6 End Dump, s/n A40DV11077, powered by Volvo diesel engine and powershift transmission, equipped with retarder, supplemental steering, tailgate, bedliners, enclosed ROPS cab with air conditioning, heated operator seat, and 29.5R25 tires. In good condition with fair to good tires. (Meter Reads 12,331 Hours)



04 VOLVO A40D 40 TON



04 VOLVO A40D 40 TON

2004 VOLVO Model A40D, 40 Ton, **6x6 End Dump,** s/n A40DV11115, powered by Volvo diesel engine and powershift transmission, equipped with retarder, supplemental steering, tailgate, bed liners, enclosed ROPS cab with air conditioning, heated operator seat, and 29.5R25 tires. In good condition with good tires. (Meter Reads 12,181 Hours) (Odometer Reads 25.193 Miles)

CHESTER TOWNSHIP, NEW JERSEY

RUBBER TIRED LOADERS AND ATTACHMENTS

2011 CATERPILLAR Model 950H Rubber Tired Loader, S/N

K5K03263, powered by Cat C7 Acert diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting edge, Cat hydraulic coupler, 3rd valve with front auxiliary hydraulics, Cat integrated



11 CAT 950H

bucket scale, ride control, enclosed ROPS cab with air conditioning, and 23.5R25 tires. In good condition with good tires. (Meter Reads 4,153 Hours)

950H Attachments: 60" Fork Attachment



04 CAT 938G SERIES II

2004 CATERPILLAR
Model 938G Series II
Rubber Tired Loader, s/n
CRD01251, powered by Cat
diesel engine and powershift
transmission, equipped
with general purpose loader
bucket with bolt-on cutting
edge, Cat hydraulic coupler,
front auxiliary hydraulics,
enclosed ROPS cab with air
conditioning, and 20.5R25
tires. In good condition with
good tires. (Meter Reads
11.467 Hours)

938 Attachments: CAT Left-Side Dump Bucket • CAT 60" Fork Attachment

2005 JOHN DEERE Model 544J Rubber Tired Loader,

s/n 596233, powered by JD diesel engine and powershift transmission, equipped with general purpose loader bucket, JRB hydraulic coupler, front auxiliary hydraulics, ride control, enclosed ROPS cab with air conditioning, and 20.5R25 tires. In good



`05 JOHN DEERE 544J

condition with good tires. (Meter Reads 10,608 Hours)

544J Attachments: JRB Left-Side Dump Bucket • **JRB** 60" Fork Attachment

1997 JOHN DEERE Model 544H Rubber Tired Loader,

s/n 562685, powered by JD diesel engine and powershift transmission, equipped with general purpose loader bucket, hydraulic coupler, front auxiliary hydraulics, enclosed ROPS cab (no air conditioning), and 20.5R25 tires. In good condition with good to very good tires. (Meter Reads 12.429 Hours)




'97 JOHN DEERE 544H

544H Attachments: HEWITT Left-Side Dump Bucket • **JRB** 60" Fork Attachment

SKID STEER LOADER AND TRACTOR LOADER BACKHOE

2005 CATERPILLAR Model 268B Skid Steer Loader, s/n LBA00884, powered by Cat diesel engine and 2-speed hydrostatic transmission, equipped with 78" general purpose loader bucket, manual coupler, high flow XPS hydraulics, 8-pin electrics, ROPS canopy, and 12-16.5NHS tires. In good condition with good tires. (Meter Reads 580 Hours)







MILLING MACHINE, CRAWLER PAVER, AND VIBRATORY ROLLER



2001 WIRTGEN Model W1200F Milling Machine, s/n 07-10-110123020221, powered by Deutz diesel engine and hydraulic drive, equipped with 48" milling head, spare 36" milling drum, 24" hydraulic discharge conveyor, and (4) independent crawlers with bolt-on poly street pads. In good condition with good undercarriage. (Meter Reads 2,856 Hours)

2000 CATERPILLAR Model AP-1055B Crawler Paver, s/n ABB00295, powered by Cat 3116 diesel engine and hydrostatic transmission, equipped with Cat Extend-A-Mat 10-20B, 10' – 20' vibratory screed, slope and crown controls, washdown reel, and 18" rubber tracks. In good



condition with good to very good rubber tracks. (Meter Reads 4,295 Hours)



1998 CATERPILLAR Model CB-534C Tandem Vibratory Roller, s/n 5HN00326, powered by Cat 3054 diesel engine and hydrostatic transmission, equipped with 65" smooth drums, front and rear spray, and vibrating drum selector. In good condition. (Meter Reads 04,675 Hours)

TRUCK TRACTOR AND LOWBOY TRAILER

2006 WESTERN STAR Model 4900FA Tri-Axle Truck Tractor,

powered by Cat C15, 475HP diesel engine and Fuller 18 speed transmission, equipped with 46,000



Ib rears, 20,000 lb steerable lift axle, 14,600 lb front axle, dual wetline (lowboy and dump trailer), air ride suspension, 3-stage engine brake, aluminum diamond plate fenders, headache rack with caution and LED lights, aluminum wheels, rigging box, power heated mirrors, cruise control, air conditioning, 11R24.5 front and rear tires, and 315/80R22.5 lift tires. In good condition with good tires. (Odometer Reads 137,270 Miles)

2005 LIDDELL Model AP-LF05, 55 Ton Quad Axle Lowboy Trailer, equipped with non-ground bearing, hydraulic detachable, 24' load deck, 12' deck over wheels, 102" overall width, boom well, air ride suspension, airlift 3rd axle, 131,620 lb GVWR, aluminum wheels, outriggers, chain dogs, and 275/70R22.5 tires. Sells with 2007 Talbert Pin-On 4th Axle, with 24,700 lb axle, Ridewell air ride suspension, aluminum wheels, and 275/70R22.5 tires. In good condition with good tires.