



LARGE ABSOLUTE AUCTION

1440 Cowpath Rd. • Hatfield, PA 19440 • 215/361-9099 • Fax: 215/361-9212

NOTICE: IBJTC Business Credit Corporation has decided to liquidate recently returned equipment, formerly operated by NationsRent. In addition, quality consignments have been added by Maxim Crane Works, as well as late model, off-lease equipment by SunTrust Leasing, First Union Leasing, Citicapital, and GE Capital. Items have also been accepted from several area contractors. *Everything in the auction must sell to the highest bidder regardless of price!*

LOCATION: The auction will be conducted at the former Pace Pipeline property, located on Business Route 66 in Delmont, Pennsylvania.

TERMS: Payment in full is required on sale day by cash, certified funds, or check with a bank letter of guarantee. Sample letter of guarantee: "We hereby guarantee the payment of our customer _____ written on his account up to _____ dollars for purchases at your auction sale on July 24, 2003." All guaranteed checks should be made payable to Hunyady Auction Co.

SALES TAX: The majority of items in the auction have been consigned by lending institutions, used equipment dealers, and equipment rental companies and therefore are subject to Pennsylvania State Sales Tax at the rate of 6%. Items NOT SUBJECT to Pennsylvania State Sales Tax will be noted at the end of the catalog descriptions.

INSPECTION: Items will be available for inspection one week prior to the auction from 8:00 a.m. until 5:00 p.m. or sale day morning from 7:00 a.m. until 9:00 a.m. (With the exception of Sunday, July 20, at which time the site will be closed)

REMOVAL: After complete payment, all sale items may be removed on sale day as long as the removal activity is not disruptive to the sale and only until 5:00 p.m. Items may also be removed Friday July 25, 2003 and Monday July 28 thru Thursday July 31, from 8:00 a.m. until 5:00 p.m. All items must be removed no later than Thursday July 31, 2003 at 5:00 p.m.

SALE SITE DIRECTIONS: FROM THE INTERSECTION OF US ROUTE 22 AND STATE ROUTE 66: Follow Route 66 South (0.8) miles to Exit #7 (Old Exit 12) (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South (0.9) miles to sale site on left.

PENNSYLVANIA TURNPIKE TRAVELING EAST: Exit #57 (Old Exit #6) (Pittsburgh) and follow Route 22 East to Route 66 South and follow directions above.

PENNSYLVANIA TURNPIKE TRAVELING WEST:

Exit #75 (Old Exit #8) (New Stanton) and follow signs and proceed to toll road Route 66 North. Travel on Route 66 North 11.9 miles to Exit #7/12 (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South 1.0 miles to sale site on left.

AIRPORT INFORMATION: This area is serviced both privately and commercially through Arnold Palmer Regional Airport in Latrobe, Pennsylvania (724) 539-8100 (LBE). Rental cars are available.

MOTEL INFORMATION: Holiday Inn Express (Delmont) (724) 468-1050 • Super 8 (Rt. 66 Delmont) (724) 468-4888 • Super 8 (Monroeville) (724) 733-8008 • Days Inn (New Stanton-20 minutes from sale site) (724) 925-3591 (There are many additional motels in the New Stanton and Monroeville areas)

SALE SITE PHONE NUMBER:


(724) 837-2581

SALE SITE FAX NUMBER:

(724) 837-2584

PRELIMINARY NOTICE: The remainder of the NationsRent/IBJTC Business Credit Corp equipment will be sold at absolute auctions to be held Tuesday, August 26, 2003 in the Fontana, California area and Thursday, August 28, 2003 in the Dallas/Ft. Worth area. Please watch for more detailed advertising as the dates approach.

PA AUCTION LICENSE NO: AY000281



LARGE ABSOLUTE AUCTION

**THURSDAY,
JULY 24, 2003
9:00 AM**



**Delmont, Pennsylvania
(Pittsburgh Area)**

(3) '99 CAT D350E End Dumps



1440 COWPATH RD. • HATFIELD, PA 19440
215/361-9099 • Fax: 215/361-9212



'92 LINK-BELT
HSP8050

PRE-SORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
HAVERTOWN, PA
PERMIT #45



(4) of (43)
Telescopic
Forklifts



'96 CAT D4H LGP
Series III

HYDRAULIC TRUCK CRANE

GROVE Model TMS475, 50 Ton Hydraulic Truck Crane, s/n 44163, equipped with 35'-85' 3-section hydraulic boom with 25' power pin 4th section to 110', 32' jib, Wiley LMI, anti-two block device, mounted on 8x4 carrier, s/n GG1X17022, powered by Cummins NTC230, 230HP diesel engine and Fuller Roadranger RTO-613, 13 speed transmission, equipped with engine brake, (4) hydraulic outriggers, and front hydraulic stabilizer. In good condition with fair to good tires. (Maxim)

(7) HYDRAULIC ROUGH TERRAIN CRANES

1992 LINK-BELT Model HSP8050, 50 Ton Hydraulic Rough Terrain Crane, s/n 5312-601, powered by Detroit diesel engine and powershift transmission, equipped with 35'-85' 3-section hydraulic boom, 25' power pin 4th section to 110', 33' swing-away jib, auxiliary hoist, Micro Guard LMI, (4) hydraulic outriggers, and 29.5x25 tires. In good condition with good tires. (Maxim)

1988 P&H Model CN150, 50 Ton Hydraulic Rough Terrain Crane, s/n 54373, powered by Cummins diesel engine and powershift transmission, equipped with 34'-110' 4-section hydraulic boom, swing-away jib, auxiliary hoist, and 29.5x25 tires. In good condition with good tires. (Maxim)

1992 LINK-BELT Model HSP8040, 40 Ton Hydraulic Rough Terrain Crane, s/n 5312-121, powered by Cummins 6 cylinder diesel engine and powershift transmission, equipped with 35'-85' 3-section hydraulic boom, 25' power pin 4th section to 110', 33' jib, auxiliary hoist, Microguard LMI, (4) hydraulic outriggers, and 26.5x25 tires. In good condition with good tires. (Maxim)

1990 LINK-BELT Model HSP8035, 35 Ton Hydraulic Rough Terrain Crane, s/n 5810-8360, Detroit diesel engine and powershift transmission, equipped with 32'-78' 3-section hydraulic boom, 29' power pin 4th section to 107', 23' swing-away jib, auxiliary hoist, anti-two block device, and 20.5x25 tires. In good condition with good tires. (Maxim)

1989 LORAIN Model LRT275, 27.5 Ton Hydraulic Rough Terrain Crane, s/n 79737, powered by Cummins 6 cylinder diesel engine and powershift transmission, equipped with 30'-94' 4-section hydraulic boom, 25'-42' extendable jib, (4) hydraulic outriggers, and 16.00x25 tires. In good condition with good tires. (Maxim)

1989 LORAIN Model LRT275, 27.5 Ton Hydraulic Rough Terrain Crane, s/n 79740, powered by Cummins 6 cylinder diesel engine and powershift transmission, equipped with 30'-94' 4-section hydraulic boom, 25'-42' extendable jib, (4) hydraulic outriggers, and 16.00x25 tires. In good condition with good tires. (Maxim)

1988 P&H Model CN122, 22 Ton Hydraulic Rough Terrain Crane, s/n 54447, powered by Detroit 6 cylinder diesel engine and powershift transmission, equipped with 29'-72' 3-section hydraulic boom, 25' swing-away jib, PAT anti-two block device, (4) hydraulic outriggers, and 16x24 tires. In good condition with good tires. (Maxim)

PETTIBONE Model MK160, 7 Ton Carry Deck Crane, s/n 711460, powered by 4 cylinder LP gas engine and 2 speed hi-lo forward/reverse transmission, equipped with 11'-29' 2-section hydraulic boom, operator protection, (4) hydraulic outriggers, and 9.00-20 tires. In fair condition with fair tires.



GROVE TMS475



'92 LINK-BELT HSP8040

BOOM TRUCKS

1995 JLG Model 2250JBT, 22.5 Ton Hydraulic Boom, s/n 0400002982, equipped with 26'-85' 4-section hydraulic boom, 26'-46' extendable swing-away jib, mounted on 1995 Mack Model RB690S Tandem Axle Flatbed Truck, powered by Mack EM7-300, 300HP diesel engine and Maxitorque T2070, 7 speed transmission, equipped with 20'6" flatbed, (4) hydraulic outriggers, 425/65R22.5 front and 11R22.5 rear tires. In good condition with good tires. (Maxim)

REACH-ALL Model CR-92, 10 Ton Boom Truck, equipped with 3-section hydraulic boom, mounted on 1985 FORD Model F-800 Single Axle Flatbed Truck, powered by V-8 gas engine and 5 speed transmission with 2 speed rear, equipped with 20' flatbed, and (4) hydraulic outriggers. In fair to good condition with fair to good tires.



'95 JLG 22.5 TON- '95 MACK RB690S

(43) TELESCOPIC ROUGH TERRAIN FORKLIFTS

(5) 1999 LULL Model 1044C-54, 10,000# 4x4 Telescopic Rough Terrain Forklifts, s/n's 99AB21P19537; 15939; 19541; 19547; 19545, powered by Cummins B3.9-C diesel engine and powershift transmission, equipped with 54' lift height, 4-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, (2) hydraulic outriggers, and 14.00x24 tires. In good condition with good tires. (IBJTC)

(2) 1999 LULL Model 844C-42, 8,000# 4x4 Telescopic Rough Terrain Forklifts, s/n 99W21P221938 and s/n 99W21P221828, powered by Cummins 4BT3.9 diesel engine and powershift transmission, equipped with 42' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 13.00x24 tires. In good condition with good tires. (IBJTC)

(15) 1999 LULL Model 644D-34, 6,000# 4x4 Telescopic Rough Terrain Forklifts, s/n's 99AL25W24457; 24481; 24609; 24559; 24560; 24606; 24607; 24608; 24558; 24413; 24557; 24456; 24555; 24467; 24466, powered by Cummins diesel engine and powershift transmission, equipped with 34' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 13.00x24 tires. In good condition with good tires. (IBJTC)

(2) 1999 SKY TRAK Model 10054, 10,000# 4x4 Telescopic Rough Terrain Forklifts, s/n 9701 and s/n 10643, powered by Cummins 4BTA3.9 diesel engine and powershift transmission, equipped with 54' lift height, 4-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, (2) hydraulic outriggers, and 17.5x25 tires. In good condition with good tires. (IBJTC)

1999 SKY TRAK Model 10042, 10,000# 4x4 Telescopic Rough Terrain Forklifts, s/n 9745, powered by Cummins 4BTA3.9 diesel engine and powershift transmission, equipped with 42' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 17.5x25 tires. In good condition with good tires. (IBJTC)

(10) 1999 SKY TRAK Model 8042, 8,000# 4x4 Telescopic Rough Terrain Forklifts, s/n's 9646; 9594; 9877; 9838; 9830; 9780; 9784; 9832; 9841; 9873, powered by Cummins 4BT3.9 diesel engine and powershift transmission, equipped with 42' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 13.00x24 tires. In good condition with good tires. (IBJTC)

(4) 1999 SKY TRAK Model 6036-2, 6,000# 4x4 Telescopic Rough Terrain Forklifts, s/n's 9508; 9694; 9691; 10642, powered by Cummins 4BT3.9 diesel engine and powershift transmission, equipped with 36' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 13.00x24 tires. In good condition with fair tires. (IBJTC)

(3) 1999 SKY TRAK Model 3606, 6,000# 4x4 Telescopic Rough Terrain Forklifts, s/n's 9588; 9637; 9587, powered by Cummins diesel engine and powershift transmission, equipped with 36' lift height, 3-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 13.00x24 tires. In good condition with good tires. (IBJTC)

1999 SKY TRAK Model 5028, 5,000# 4x4 Telescopic Rough Terrain Forklifts, s/n 9865, powered by Cummins 4B3.9 diesel engine and powershift transmission, equipped with 28' lift height, 2-section hydraulic boom, pallet forks, frame leveling, ROPS canopy, 4-wheel steer, and 15x19.5 tires. In good condition with good tires. (IBJTC)

PNEUMATIC AND CUSHION TIRED FORKLIFTS

(2) 1999 MITSUBISHI Model FG25B, 5,000# Pneumatic Tired Forklifts, s/n AF17B06044 and s/n AF17B06043, powered by 4 cylinder propane engine and shuttle transmission, equipped with 188" 3-stage mast, 42" forks, 7.00x12 front and 6x9 rear tires. In good condition with good tires. (IBJTC)

(7) 1996 HYSTER Model S100XL, 10,000# Cushion Tired Forklifts, s/n's D004D018157; 18147; 17647; 17597; 18137; 18117; 17677, powered by 6 cylinder gas engine and hydrostatic transmission, equipped with 66.5" 2-stage mast, mast tilt, 51" forks, operator protection, 22x12x16 front and 18x8x12-1/8 rear tires. In fair condition with fair to good tires. (First Union)

(2) 1996 HYSTER Model E80XL, 8,000# Cushion Tired, Electric Forklifts, s/n C098D02121T and s/n C098D02478T, powered by electric motor and hydrostatic transmission, equipped with 121" 2-stage mast, mast tilt, 46" forks, operator protection, 22x9x16 front, and 8x7x12-1/8 rear tires. In fair condition with fair to good tires. (Missing Batteries) (First Union)



(1) OF (2) '99 MITSUBISHI 5,000#



'00 HYDRA-PLATFORM HP-32



(1) OF (2) '98 TEREX 50'



(2) '97 JLG 45'



'97 GROVE 32'



(2) OF (5) '99 LULL 10,000#



(1) OF (15) LULL 6,000#



(5) OF (10) '99 SKY TRAK 8,000#



(3) OF (7) '99 SKY TRAK 6,000#



(4) OF (15) '99 LULL 6,000#



(1) OF (3) '99 SKY TRAK 10,000#



(2) OF (10) '99 SKY TRAK 8,000#



'99 SKY TRAK 5,000#

(20) AERIAL LIFTS AND SCISSORS LIFTS

(2) 1998 TEREX Model TA50E, 50' Electric Aerial Lifts, s/n 15051 and s/n 15119, powered by 48 volt battery and hydraulic drive, equipped with 50' articulated boom, 26"x60" 500# man basket, on-board charger, and 28x9-15 non-marking tires. In good with good tires. (Maxim)

1996 GROVE Model AMZ51E, 45' Electric Aerial Lift, s/n 37326, powered by 48 volt battery and hydraulic drive, equipped with 45' articulated boom, 26"x42" 500# man basket, on-board charger, and 7.00x15 non-marking tires. In fair to good condition with good tires. (Maxim)

(2) 1997 JLG Model 45E, 45' Electric Aerial Lifts, s/n 047450 0300030111 and s/n 047462 0300039666, powered by 48 volt battery and hydraulic drive, equipped with 45' articulated boom, 26"x60" 500# man basket, on-board charger, and 215/85R16 tires. In good condition with good tires. (Maxim)

(2) 1999 SNORKEL Model TBA42, 42' 4x4 Aerial Lifts, s/n 993989 and s/n 993988, powered by dual fuel (gas/LP) engine and hydraulic drive, equipped with 30"x60" 500# man basket (IBJTC)

(2) 1997 JLG Model 40E, 40' Electric Aerial Lifts, s/n 047119 0300029279 and s/n 047133 0300029523, powered by 48 volt battery and hydraulic drive, equipped with 40' articulated boom, 26"x60" 500# man basket, on-board charger, and G78x15 tires. In good condition with good tires. (Maxim)

1998 GROVE Model AMZ39NE, 33' Electric Aerial Lift, s/n 4481, powered by 48 volt battery and hydraulic drive, equipped with 33' articulated boom, 26"x42" 500# man basket, on-board charger, and solid non-marking tires. In good condition with good tires. (Maxim)

1998 TEREX Model TA33E, 33' Electric Aerial Lift, s/n 15200, powered by 48 volt battery and hydraulic drive, equipped with 33' articulated boom, 26"x60" 500# man basket, on-board charger, and 559/229x40 non-marking tires. In good with fair to good tires. (Maxim)

(3) 1999 TEREX Model TA30, 30' Electric Aerial Lifts, s/n 99210081; 80; 79, powered by 48 volt battery and hydraulic drive, equipped with 30' articulated boom, 30"x42" 500# man basket, on-board charger, and 7.00x12 non-marking tires. In good with good tires. (Maxim)

1997 GROVE Model VM3248E, 26' Electric Aerial Lift, s/n 11148, powered by 24 volt battery and hydraulic drive, equipped with 500# man basket and 16x5-10.5 tires. In good condition with good tires. (Maxim)

2001 GROVE Model V2642E, 20' Electric Aerial Lift, s/n 11605, powered by 24 volt battery and hydraulic drive, equipped with 500# man basket and 16x5-10.5 tires. In very good condition very good tires. (Maxim)

1997 GROVE Model SM3884XT, 32', 4x4 Rough Terrain Scissors Lift, s/n 43392, powered by Kubota 3 cylinder dual fuel (gas/LP) engine and hydraulic drive, equipped with 6'x12' 1,250# platform and 10x16.5 tires. In good condition with good tires. (Maxim)

1999 SNORKEL Model SLH3284HD Rough Terrain 4x4 Scissors Lift, s/n 993700, powered by diesel engine and hydraulic drive, equipped with 6'x10' 1,250# platform. (IBJTC)

SNORKEL Model TBA80, 80' Aerial Lift, s/n 852930885, powered by diesel engine and hydrostatic transmission. **SNORKEL Model TBA60, 60' Aerial Lift**, s/n 821330782, powered by gas engine and hydrostatic transmission.

UNDER-BRIDGE WORK PLATFORMS

2000 HYDRA-PLATFORM Model HP-32 Under-Bridge Work Platform, s/n 1H9U52636YYC196148, powered by Kohler 18HP gas engine, equipped with 32' work platform, 16' lowering depth, 180 degree rotation, 1,000# capacity, Atkinson 2-way speaker system, self erecting, self propelled, mounted on tri-axle carrier with hydraulic outriggers and 225/75R15 tires. In good condition with good tires.

'92 LINK-BELT HSP8050



(1) OF (2) '89 LORAIN LRT275



'88 P&H CN122



(3) 35 TON END DUMPS

1999 CATERPILLAR Model D350E, Series II, 35 Ton 6x6 Articulated End Dump, s/n 2XW00231, powered by Cat 3406E diesel engine and powershift transmission, equipped with heated body, bed liner, retarder, air conditioning, and 26.5R25 tires. In good condition with fair tires. (SunTrust)

1999 CATERPILLAR Model D350E, Series II, 35 Ton 6x6 Articulated End Dump, s/n 2XW00240, powered by Cat 3406E diesel engine and powershift transmission, equipped with heated body, bed liner, retarder, air conditioning, and 26.5R25 tires. In good condition with fair to good tires. (SunTrust)

1999 CATERPILLAR Model D350E, Series II, 35 Ton 6x6 Articulated End Dump, s/n 2XW00241, powered by Cat 3406E diesel engine and powershift transmission, equipped with heated body, bed liner, retarder, air conditioning, and 26.5R25 tires. In good condition with fair to good tires. (SunTrust)

HYDRAULIC EXCAVATORS AND ATTACHMENTS

1991 KOMATSU Model PC300LC-5L Hydraulic Excavator, s/n A70611, powered by Komatsu diesel engine and hydraulic drive, equipped with 10'6" dipper stick, hydraulic plumbing, heated cab, light package, 15'11" crawlers, and 33.5" TBG pads. In fair to good condition with good undercarriage. (S&T)

1995 CATERPILLAR Model 320 Hydraulic Excavator, s/n 3XM03512, powered by Cat 3066 diesel engine and hydraulic drive, equipped with 9'6" dipper stick, digging bucket, air conditioning, heat, AM/FM stereo, 13'6" crawlers, and 24" TBG pads. In good condition with good undercarriage.

1994 CATERPILLAR Model 311 Hydraulic Excavator, s/n 9LJ00192, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 9' dipper stick, digging bucket, hydraulic plumbing, air conditioning, 10'9" crawlers, and 30" TBG pads. In good condition with good undercarriage.

1993 KOMATSU Model PC120-5 Hydraulic Excavator, s/n 42638, powered by Komatsu diesel engine and hydraulic drive, equipped with 8' dipper stick, 36" digging bucket, JRB hydraulic quick coupler, hydraulic plumbing, heated cab, light package, 11" crawlers, and 23.5" TBG pads. In fair to good condition with good undercarriage. (S&T)

1991 KOMATSU Model PC60-6 Hydraulic Excavator, s/n 30358, powered by Komatsu diesel engine and hydraulic drive, equipped with 5'9" dipper stick, digging bucket, and 18" TBG pads. In fair condition with good undercarriage.

1993 KUBOTA Model KX101 Mini Excavator, s/n 11217, powered by Kubota 4 cylinder diesel engine and hydraulic drive, equipped with 5'3" dipper stick, 24" digging bucket, 60" backfill blade, manual quick coupler, hydraulic plumbing, heated cab, and 12"x78" rubber crawlers. In good condition with good undercarriage. (S&T)

1985 GRADALL Model G3WD Rubber Tired Excavator, s/n NP37594, powered by Cummins 6BT5.9L diesel engine, equipped with 2-stage hydraulic boom, 30" cleanup bucket, mounted on model GW32-G3WD, 4x2 carrier, s/n G85D012, equipped with remote travel and powershift transmission, equipped with 11.00-20 tires. In fair condition with fair tires.

KENT Model KHB30G Hydraulic Demolition Hammer, s/n 4524. In good condition. (Fits Komatsu PC300) (S&T) • **1991 ALLIED Model 9700C Vibratory Compactor, s/n 719624 (S&T) • 1991 STANLEY Model H5600D Vibratory Compactor (Fits Komatsu PC120) (S&T)**

CRAWLER TRACTORS AND CRAWLER LOADERS

1996 CATERPILLAR Model D4H LGP Series III Crawler Tractor, s/n 9GJ01902, powered by Cat 3304 diesel engine and powershift transmission, equipped with 6-way straight blade, ROPS canopy with sweeps, drawbar, and 30" SBG pads. In good condition with good undercarriage.

1987 KOMATSU Model D37E-2 Crawler Tractor, s/n 1629, powered by Komatsu diesel engine and powershift transmission, equipped with 6-way straight blade, Hyster Model W3A winch, ROPS canopy, light package, and 16" SBG pads. In good condition with fair to good undercarriage. (S&T)

JOHN DEERE Model 750B Crawler Tractor, s/n 279640T, powered by John Deere diesel engine and hydrostatic transmission, equipped with straight blade with tilt, ROPS canopy with sweeps and forestry package, drawbar, and 18" SBG pads. In good condition with fair to good undercarriage.

1985 JOHN DEERE Model 455D Crawler Loader, s/n T0455D715174, powered by John Deere diesel engine and powershift transmission, equipped with general purpose loader bucket with teeth, ROPS canopy, drawbar, and 14" TBG pads. In good condition with good undercarriage.

FIAT ALLIS Model FL-9 Crawler Loader, s/n 1137, powered by diesel engine and powershift transmission, equipped with general purpose bucket with teeth, enclosed ROPS cab with heat, and 14" TBG pads. In fair to good condition with fair undercarriage.

RUBBER TIRED LOADERS

JOHN DEERE Model 544A Rubber Tired Loader, s/n 130513T, powered by John Deere diesel engine and powershift transmission, equipped with general purpose bucket, enclosed ROPS cab, light package, and 17.5-25 tires. In fair condition with fair to good tires.

FIAT ALLIS Model 645-B Rubber Tired Loader, s/n 11Y-04714, powered by Fiat Allis diesel engine and powershift transmission, equipped with general purpose bucket with weld-on cutting edge and 20.5-25 tires. In good condition with fair tires.

TRACTOR LOADER EXTEND-A-HOES

1990 CASE Model 680L, 4x4 Tractor Loader Extend-A-Hoe, s/n JJG0070655, powered by Case diesel engine and shuttle transmission, equipped with general purpose bucket (no cutting edge), hydraulic beyond, enclosed ROPS cab with heat, light package, and 15x19.5 front and 21Lx28 rear tires. In good condition with good tires.

1989 CASE Model 680L, 4x4 Tractor Loader Extend-A-Hoe, s/n JJG0070503, powered by Case diesel engine and shuttle transmission, equipped with general purpose bucket with weld-on cutting edge, 24" digging bucket, hydraulic beyond, enclosed ROPS cab with heat, and 15x19.5 front and 21L-28 rear tires. In fair condition with good rear and poor front tires.

ALLIED Model 740 Hy-Ram Hydraulic Hammer, s/n 2747. In good condition. (S&T)

ASPHALT PAVERS AND COMPACTION EQUIPMENT

BARBER GREENE Model BG-200 Rubber Tired Paver, s/n E135, powered by Ford 3 cylinder diesel engine and hydrostatic transmission, equipped with 6'-12" extendable heated vibratory screed, sliding controls, and post-traction. In good condition with good tires. (S&T)

1986 LEE BOY Model 900ST Crawler Paver, s/n L900ST328R, powered by 2 cylinder diesel engine and hydrostatic transmission, equipped with 8' screen with 3' hydraulic extending strike-offs. In good condition with good undercarriage.

1998 INGERSOLL-RAND Model DD-24 Tandem Vibratory Roller, s/n 153798, powered by Deutz 3 cylinder diesel engine and hydrostatic transmission, equipped with 47" smooth drum and water system. In good condition. (S&T)

1994 INGERSOLL-RAND Model SD-100D Vibratory Compactor, s/n 10503SDD, powered by Cummins 4BTA3.9-C diesel engine and hydrostatic transmission, equipped with 84" smooth drum, drum drive, ROPS canopy, and 23.1x26 tires. In good condition with good tires. (S&T)

WESTERN 1 Ton Tandem Roller, s/n 2000, powered by 1 cylinder gas engine and hydrostatic transmission, equipped with 28" split front drum and 32" smooth rear drum. In fair to poor condition.

1999 MULTQUIP Model P35K2B Vibratory Compactor, s/n 527977, powered by Kubota D1403 diesel engine and hydrostatic transmission, equipped with 35" smooth drums and ROPS canopy. (IBJTC)

1999 MULTQUIP Model P35K2B Vibratory Compactor, s/n 527978, powered by Kubota D1403 diesel engine and hydrostatic transmission, equipped with 35" smooth drums and ROPS canopy. (IBJTC)

1999 MULTQUIP Model P33HMR Walk-Behind Vibratory Trench Compactor, s/n 319369, powered by Hatz diesel engine and hydrostatic transmission, equipped with 33" padfoot drums and remote. (IBJTC)

SKID STEER LOADERS AND ATTACHMENT

2000 SCAT TRAK Model 1300D Skid Steer Loader, s/n 100883, powered by Kubota 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, quick disconnect, auxiliary hydraulics, and 10.00x16.5 tires. In good condition with poor to fair tires. (IBJTC)

1998 CASE Model 1845C Skid Steer Loader, s/n JAF0251715, powered by Case 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, manual quick disconnect, dual auxiliary hydraulic outlets, light package, and 12x16.5 tires. In good condition with good tires. (S&T)

1994 CASE Model 1845C Skid Steer Loader, s/n JAF0163116, powered by Case 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, manual quick disconnect, dual auxiliary hydraulic outlets, light package, and 12x16.5 tires. (S&T)

BOBCAT Model WS18 Hydraulic Earth Saw Attachment, s/n 561600134 (S&T)

UTILITY/BROOM TRACTORS AND ATTACHMENTS

1995 KUBOTA Model L4200DT, 4x4 Utility Tractor, s/n 50290, powered by Kubota diesel engine and shuttle transmission, equipped with Kubota LA680 loader attachment, with general purpose loader bucket, Land Pride PR257, 3 point hitch soil conditioner, s/n L126295, hydraulic snow plow attachment, rear auxiliary hydraulics, PTO, 3-point hitch, roll bar, 8-16 front and 14.9-24 rear tires. In good condition with good tires. (S&T)

FORD Model 8N Broom Tractor, s/n UNKNOWN, powered by 4 cylinder gas engine and direct drive transmission, equipped with 3-point hitch, PTO, 6' broom, and 6.50-15 front and 12.4x28 rear tires. In fair condition with good tires.

PTO Powered 3-Point Hitch Attachments: COSMO Chipper • Roto Tiller • Brush Hog • SHAVER LF-6000 Hydraulic Power Landscape Finisher, equipped with transport wheels

PORTABLE CONE CRUSHER, SCREENING PLANT, AND RADIAL STACKERS

1999 CEC Roadrunner, 400 Series Portable Cone Crusher, s/n 342, powered by Perkins 300HP diesel engine and friction clutch/fluid coupler, equipped with Newage 100KW generator: 60Hz, 3-phase, 480 volt, Minyu model MCC40 cone crusher, s/n 015Y (1999), with hydraulic adjustment, 36"x23" under belly electric discharge conveyor, 30"x27" rear folding side discharge hydraulic conveyor, air brakes, hydraulic oil cooler, mounted on tandem axle carrier with 10R22.5 tires. In good condition with good tires. (Citicapital)

2000 POWERSCREEN Model Chieftain 1200 Portable Screening Plant, s/n 5016316, powered by Cummins 3.9 liter diesel engine, equipped with 5'x10' feed hopper with grizzly, 30"x12' under hopper conveyor, 30"x34' feed conveyor, 5'x10' 3-deck vibratory screen with hydraulic tensioner, 30"x26' rear discharge folding conveyor, (2) 24"x30' side discharge folding conveyors, (4) main frame leveling jacks, (2) manual outriggers, mounted on tandem axle carrier, with 385/65R22.5 tires. In good condition with good tires. (GEOC)

NEW-UNUSED 36"x60" Radial Stacking Conveyor, powered by Siemens 15HP electric motor with Dodge gear reducer, equipped with 350TPH rated capacity, 4' receiving hopper, 36" deep truss structure, 2-ply 220 rubber with Flexco mechanical splice, adjustable height, mounted on 16" tires. (All Dodge Components)

NEW-UNUSED 30"x60" Radial Stacking Conveyor, powered by Siemens 10HP electric motor with Dodge gear reducer, equipped with 250TPH rated capacity, 4' receiving hopper, 36" deep truss structure, 2-ply 220 rubber with Flexco mechanical splice, adjustable height, mounted on 16" tires. (All Dodge Components)

NEW-UNUSED 24"x60" Radial Stacking Conveyor, powered by Siemens 7.5HP electric motor with Dodge gear reducer, equipped with 150TPH rated capacity, 4' receiving hopper, 36" deep truss structure, 2-ply 220 rubber with Flexco mechanical splice, adjustable height, mounted on 16" tires. (All Dodge Components)

AIR COMPRESSORS, PUMP, AND MULCHER

1990 SULLAIR Model 175DPO-JDD, 175 CFM Portable Air Compressor, s/n 004-104639, powered by John Deere 3 cylinder diesel engine. In good condition with good tires. (S&T)

GRIMMER SCHMIDT 175 CFM Portable Air Compressor, s/n 1755969, powered by Ford 4 cylinder gas engine, equipped with air hose with (2) reels, 100 PSI, and 175/80R13 tires. In good condition with good tires.

WORTHINGTON 160 CFM Portable Air Compressor, s/n 8212845, powered by Int'l diesel engine. In fair condition with fair tires.

JAEGER 150 CFM Portable Air Compressor, s/n RC-26534, powered by Ford 4 cylinder diesel engine, equipped with 235/75R15 tires. In fair condition with fair tires.

1993 GODWIN Model CD-150, 6" Portable Pump, s/n 924580-58, powered by John Deere 4 cylinder diesel engine, equipped with 78x15S tires. In good condition with good tires. (S&T)

1995 REINCO Model TM730 Skid Mounted Mulcher, s/n 3704, powered by Wisconsin 4 cylinder gas engine, equipped with 20"x12" bale capacity. In good condition. (S&T)

TRENCHERS, BORING MACHINE, AND HYDRA HAMMER

DITCH WITCH Model 6510DD Rubber Tired Trencher, s/n 655885, powered by Deutz 4 cylinder diesel engine and direct drive transmission, equipped with model A610, " trencher bar with hydraulic crumpling shoe, 6' backfill blade, front mounted counterweights, ROPS canopy, and 16.5L-16" tires. In fair to good condition with fair to good tires.

1988 VERMEER Model V-450 Rubber Tired Combination Trencher/Backhoe, s/n 1VRF082LX1000499, powered by John Deere 3 cylinder diesel engine and direct drive transmission, equipped with model VH-18, 9' trencher attachment with rock chain and hydraulic crumpling shoe, model V-780 backhoe attachment with 18" digging bucket and (2) hydraulic outriggers, 68" backfill blade, and 31x15.50 tires. In good condition with fair to good tires.

KA-MO Model 55 Boring Machine, s/n 17855029, powered by Wisconsin 2 cylinder gas engine, equipped with 3 speed transmission, (3) 10' track sections, 3" hex drive, and 30" of 12" auger. In good condition.

ARROW Model G400 Hydra Hammer, s/n 8051, powered by 6 cylinder gas engine and 4 speed transmission, equipped with 7.50-16 front and 6.00-16 rear tires. In fair to good condition with good tires.

DUMP TRUCKS

1994 MACK Model RD688S Tri Axle Dump Truck, powered by Mack E7-350, 350HP diesel engine and Fuller 8LL transmission, equipped with 19' aluminum dump body, 44,000# rear axles, airlift 3rd axle, and hi-floatation front tires. In good condition with good tires.

1995 FORD Model LTS9000 Tri Axle Dump Truck, powered by Cat 3406, 375HP diesel engine and 10 speed



(2) of (3) '99 CAT D350E



'91 KOMATSU PC300LC-5L



'95 CAT 320



'94 CAT 311 (thumb not in auction)



'96 KOMATSU PC120-5



'93 KUBOTA KX101



'87 KOMATSU D37E-2



JOHN DEERE 750B



JOHN DEERE 455D



FIAT ALLIS 645B



'98 IR DD-24



'94 IR SD-100D



'00 SCAT TRAK 1300D



'98 CASE 1845C



'00 POWER-SCREEN Chieftain 1200



(1) of (3) 60" Radial Stackers

transmission, equipped with Ti-Brook 20" aluminum dump body, 44,000# rear axles, airlift 3rd axle, set-back front axle, and hi-floatation front tires. In good condition with good tires.

1989 INTERNATIONAL Model G2504 Tri Axle Dump Truck, powered by Cummins NTC350 diesel engine and 10 speed transmission, equipped with 18"6" steel dump body, Jacobs 3-stage engine brake, air conditioning, and 11R22.5 tires. In good condition with fair tires. (S&T)

1999 FORD Model F-550XL Super Duty 4x4 Crew Cab Utility/Dump Truck, powered by Powerstroke 7.3L diesel engine and automatic transmission, equipped with Stahl/Heil 9' utility/dump body with rollover tarp, power package, cruise control, air conditioning, AM/FM cassette, aluminum front wheels, brush guard, and 245/70R19.5 tires. In good condition with good tires.

1991 INTERNATIONAL Model 4700 Single Axle Dump Truck, powered by International 6 cylinder diesel engine and 6 speed transmission, equipped with Henderson steel dump body, and 10.00R20 tires. In good condition with good tires. (S&T)

1985 INTERNATIONAL Model S1854, 4x4 Dump Truck, powered by International DT466 diesel engine and 5 speed transmission, equipped with 11'9" steel dump body, air brakes, and 8.25R20 tires. In good condition with good tires.

1979 CHEVROLET Single Axle Dump Truck, powered by V-8 gas engine and automatic transmission, equipped with 10' steel dump body. In fair condition with fair tires.

1975 FORD Model F-600 Single Axle Dump Truck, powered by V-8 gas engine and 5 speed transmission, equipped with 10' steel dump body. In fair condition with fair tires.

TRUCK TRACTORS, STEP DECK AND LOWBOY TRAILERS

(2) 1997 FREIGHTLINER Model FLD112064ST Tandem Axle Truck Tractors, powered by Cat C-10, 350HP diesel engine and Rockwell 10 speed transmission, equipped with 40,000# front axle, 12,000# front axle, Jake brake, air suspension, 174" wheelbase, aluminum wheels, air conditioning, cruise control, heated mirrors, and 275/80R22.5 tires. In good condition with good tires. (First Union)

1996 FREIGHTLINER Model FLD12064T Tandem Axle Truck Tractor, powered by Cat 3176 diesel engine and Rockwell 9 speed transmission, equipped with 12,000# front and 40,000# rear axles, air suspension, 204" wheelbase, air ride cab, dual aluminum fuel tanks, cruise control, sleeper, roof and side fairings, air conditioning, AM/FM cassette, and 11R22.5 tires. In good condition with good tires. (First Union)

(4) 1996 FREIGHTLINER Model FLD12064T Tandem Axle Truck Tractors, powered by Cat 3176 diesel engine and Rockwell 9 speed transmission, equipped with 12,000# front and 40,000# rear axles, air suspension, 204" wheelbase, air ride cab, dual aluminum fuel tanks, cruise control, roof and side fairings, air conditioning, AM/FM cassette, and 11R22.5 tires. In good condition with good tires. (First Union)

1980 MACK MODEL RWS766LST Tandem Axle Truck Tractor, powered by Cummins 400HP diesel engine and EATON 15 speed transmission, equipped with 44,000# rear axles, wetline, JACOBS engine brake, and 10.00R22 tires. In good condition with good tires.

1979 INTERNATIONAL Model Transtar 4300 Tandem Axle Truck Tractor, powered by Cummins 400 diesel engine and Fuller RT12515 transmission, equipped with 44,000# rear axles. In fair to good condition with good tires.

1976 MACK Model R797ST Tandem Axle Truck Tractor, powered by Mack ENDTB866, 375HP diesel engine and 10 speed transmission, equipped with 178" wheelbase, Dynatard engine brake, and 11R24.5 tires. In fair condition with good tires.

1980 MACK Model R686ST Tandem Axle Truck Tractor, powered by Mack ETS2676, 283HP diesel engine and 6 speed to hole transmission, equipped with 168" wheelbase, Dynatard engine brake, and 10.00-20 tires. In fair condition with fair to good tires.

ROGERS 50 Ton Tri Axle Lowboy Trailer, equipped with ground bearing detachable gooseneck, detachable axles, extended neck, 20' level deck, 13'6" over axles, flip-up 3th axle, walking beam suspension, chain dogs, outriggers, and 11.00-24 tires. In good condition with fair to good tires.

TALBERT 50 Ton Single Axle Jeep, equipped with 11.00R22 tires. In good condition with good tires.

1975 ROGERS 35 Ton Tandem Axle Lowboy Trailer, equipped with ground bearing detachable gooseneck, gas powered pony motor, 20' level deck, 7'6" deck over axles, chain dogs, outriggers, and 10.00-20 tires. In fair to good condition with good tires.

1974 ROGERS Model Croucher 40 Ton Tandem Axle Lowboy Trailer, equipped with 20' level deck, 10' over axles, ground bearing gooseneck, gas pony motor, chain dogs, and outriggers. In good condition with good tires.

KNUCKLEBOOM/MECHANICS TRUCK

1976 INTERNATIONAL Model 1700, 4x4 Single Axle Knuckleboom/Mechanics Truck, powered by V-8 gas engine and automatic transmission, equipped with National Model N-70-29, 12,000# knuckleboom, s/n 10078, Lincoln Weldonpower 8000 welder/generator, powered by Briggs & Stratton gas engine, Emgo 2-stage air compressor with Kohler gas engine, Morysville 10' service body, (4) hydraulic outriggers, double frame, and 10.00x20 tires. In good condition with good tires. (S&T)

1979 INTERNATIONAL Model 1854 Single Axle Mechanics Truck, powered by International DT466 diesel engine and 5 speed transmission with 2 speed rear, equipped with Koenig mechanics body and Autocrane 6,000# 17' service boom. In fair to good condition.

FORD Single Axle Cabover Mechanics Truck, powered by V-8 gas engine and automatic transmission, equipped with Morysville 11' walk-in mechanics body, air brakes, and 9.00-20 tires. In good condition with good tires.

KNAPHEIDE 10' Mechanics Body with Autocrane 6,000# 17' service boom • KNAPEIDE 8' 6-Compartment Open Top Utility Body

ROLLBACK AND WRECKER TRUCKS

1988 CHEVROLET Model C70 Single Axle Rollback Truck, powered by V-8 gas engine and 5 speed transmission, equipped with Champion 21' steel rollback body with Ramsey winch, 2nd car tow hitch, under body utility box, and 9.00R20 tires. In fair to good condition with fair to good tires.

1972 FORD Model 9000 Single Axle Wrecker Truck, powered by Detroit 6-71, 238HP diesel engine and Fuller 13 speed transmission, equipped with Holmes 10'6" wrecker body, PTO driven twin winch, 9' boom, (2) manual stabilizers, and 11R22.5 front and 10.00-20 rear tires. In good condition with fair tires.

HYDROSEEDER AND DRILL TRUCK

REINCO Model HG30G239T, 1,500 Gallon Hydro Seeder, s/n 3022, powered by John Deere 4 cylinder diesel engine, equipped with Crane Deming pump, electric hose reel, mounted on 1982 Volvo/Autocar Tandem Axle Carrier, powered by Cummins NTC-300, 300HP diesel engine and Fuller Roadranger 10 speed transmission, equipped with 71,420# GVWR, and 11R24.5 front and 10.00-20 rear tires. In fair condition with good tires.

MOBILE Model B-31 Hydraulic Drill, s/n 625172, with 3 speed transmission, equipped with top drive, sliding table, 50' of 6" auger, mounted on 1982 Dodge 350 Custom Power Ram 4x4 Truck, powered by 8 cylinder gas engine and 4 speed transmission, equipped with front mounted winch and (2) hydraulic stabilizers. In fair to good condition with good tires.

FLATBED AND STAKEBODY TRUCKS

1979 VOLVO Model F86 Single Axle Flatbed Truck, powered by 6 cylinder diesel engine and 8 speed transmission, equipped with 22' wood flatbed with hydraulic liftgate, ratchet tie downs, and 10.00R20 tires. In fair condition with good tires.

1978 FORD Model F-350 Single Axle Stake Body Truck, powered by gas engine and 4 speed transmission, equipped with 12' wood flatbed with 42" stake sides and 8.75x9.5 tires. In fair condition with good tires.

1972 FORD Model F-600 Single Axle Cab & Chassis, powered by V-8 gas engine and 5 speed transmission with 2 speed rear, equipped with brush guard and 9.00x20 tires. In fair condition with fair tires.

SPORT UTILITY VEHICLES AND PICKUP TRUCKS

1995 GMC Model Yukon 1500, 4x4 Sport Utility Vehicle, powered by V-8 gas engine and automatic transmission, equipped with power package, cruise control, air conditioning, AM/FM cassette/CD player, brush guard, and 245/75R16 tires. In good condition with fair tires.

1994 FORD Model Bronco XL 4x4 Sport Utility Vehicle, powered by V-8 gas engine and automatic transmission, equipped with Meyers snow plow, air conditioning, AM/FM stereo, and 235/75R15 tires. In good condition with fair tires.

1995 FORD Model F-250 Pickup Truck, powered by Powerstroke 7.3 liter diesel engine and automatic transmission, equipped with 8' bed, tow package, AM/FM stereo, and 23.5/85R16 tires. In good condition with very good tires.

1988 FORD Model F-150 Custom Pickup Truck, powered by V-8 gas engine and automatic transmission, equipped with 8' bed with cross toolbox, dual fuel tanks, and 235/75R15 tires. In fair condition with good tires.

DUMP, STEP DECK, AND FLATBED TRAILERS