



Please visit our website at
www.hunyady.com

ABSOLUTE AUCTION
Ricon, Inc.

1440 Cowpath Rd. • Hatfield, PA 19440 • 215/361-9099 • Fax: 215/361-9212

NOTICE: Ricon, Inc., is liquidating the majority of its equipment which is surplus to its present needs. Quality equipment has also been accepted from Maxim Crane Works, Mele Site Development, and Beckwith Machinery, as well as area contractors. Items have also been included from SunTrust Leasing, GE Capital Corporation, and First National Bank of Pennsylvania. This auction also includes the complete liquidation of B&P Logging & Excavating and Paul Contracting. Everything will positively sell to the highest bidder regardless of price!

LOCATION: The auction will be conducted at the former Pace Pipeline property, located on Business Route 66 in Delmont, Pennsylvania 15601

TERMS: Payment in full is required on sale day by cash, certified funds, or check with a bank letter of guarantee. Sample letter of guarantee: "We hereby guarantee the payment of our customer _____ written on his account up to _____ dollars for purchases at your auction sale on November 18, 2004." All guaranteed checks should be made payable to Hunyady Auction Co.

SALES TAX: The Commonwealth of Pennsylvania requires that sales tax be collected on items being sold by lending institutions, rental companies, and equipment dealers, with the exception of titled vehicles. Items subject to the Pennsylvania State Sales Tax at the rate of 6% will be noted in the sale day catalog.

INSPECTION: Items will be available for inspection one week prior to the auction from 8:00 a.m. until 5:00 p.m. or sale day morning from 7:00 a.m. until 9:00 a.m. (With the exception of Sunday, November 14, at which time the site will be closed)

REMOVAL: After complete payment, all sale items may be removed on sale day as long as the removal activity is not disruptive to the sale and only until 5:00 p.m. Items may also be removed Friday and Saturday, Nov. 19 & 20 and Monday and Tuesday Nov. 22 & 23, from 8:00 a.m. until 5:00 p.m. and Wednesday Nov. 24, from 8:00 a.m. until 12:00 noon. All items must be removed no later than November 24, at 12:00 noon.

SALE SITE DIRECTIONS: FROM THE INTERSECTION OF US ROUTE 22 AND STATE ROUTE 66: Follow Route 66 South (0.8) miles to Exit #12 (Old Exit 7) (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South (0.9) miles to sale site on left.

PENNSYLVANIA TURNPIKE TRAVELING EAST: Exit #57 (Old Exit #6) (Pittsburgh) and follow Route 22 East to Route 66 South and follow directions above.

PENNSYLVANIA TURNPIKE TRAVELING WEST: Exit #75 (Old Exit #8) (New Stanton) and follow signs and proceed to toll road Route 66 North. Travel on Route 66 North 11.9 miles to Exit #7/12 (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South 1.0 miles to sale site on left.

AIRPORT INFORMATION: This area is serviced both privately and commercially through Arnold Palmer Regional Airport in Latrobe, Pennsylvania (724) 539-8100 (LBE). Rental cars are available.

MOTEL INFORMATION: Holiday Inn Express (Delmont) (724) 468-1050 • Super 8 (Rt. 66 Delmont) (724) 468-4888 • Super 8 (Monroeville) (724) 733-8008 • Days Inn (New Stanton-20 minutes from sale site) (724) 925-3591 (There are many additional motels in the New Stanton and Monroeville areas)

SALE SITE PHONE NUMBER:
(724) 837-2581

SALE SITE FAX NUMBER:
(724) 837-2584



'91 Ravens 48' Spread Axle



(2) Aluminum Trench Boxes



ABSOLUTE AUCTION

THURSDAY, NOVEMBER 18, 2004 9:00 AM

'00 Peterbilt 378 & '00 Talbert 55 Ton

**Ricon, Inc. and
 (2) Complete Liquidations
 Delmont, Pennsylvania
 (Pittsburgh Area)**



1440 COWPATH RD. • HATFIELD, PA 19440
 215/361-9099 • Fax: 215/361-9212



'95 Cat IT28F



'92 Link-Belt HSP8028



'01 Komatsu PC95

PRE-SORTED
 FIRST CLASS MAIL
 U.S. POSTAGE
PAID
 HAVERTOWN, PA
 PERMIT #45

(12) HYDRAULIC EXCAVATORS AND ATTACHMENTS

2001 KOMATSU Model PC95 Hydraulic Excavator, s/n 21D5200201, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulating boom, 6' dipper stick with auxiliary hydraulics, WB Manual quick disconnect, 14" digging bucket, 7'2" backfill blade, enclosed cab with light package, 18" TBG pads, and 9'6" crawlers. In good condition with good undercarriage. (Meter Reads 01,417 Hours) (Paul)

1998 CATERPILLAR Model 312BL Hydraulic Excavator, s/n 8JR00805, powered by Cat 3064T diesel engine and hydraulic drive, equipped with 9'10" dipper stick, 36" digging bucket, JRB hydraulic quick disconnect, auxiliary hydraulics, 24" TBG pads, and 12'4" crawlers. In good condition with good undercarriage. (Mele)

1996 CATERPILLAR Model 312 Hydraulic Excavator, s/n 6GK01823, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 8' dipper stick, Hendrix hydraulic quick disconnect, Esco 24" digging bucket, auxiliary hydraulics, 11'9" crawlers, and 24" TBG pads. In good condition with fair to good undercarriage. (Ricon)

1993 CATERPILLAR Model 311 Hydraulic Excavator, s/n 5PK00646, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 7-6" dipper stick, 18" digging bucket, air conditioning, light package, 20" TBG pads, and 11' crawlers. In good condition with good undercarriage. (Paul)

1997 KOMATSU Model PC128UU Hydraulic Excavator, s/n 2134, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulated boom, 7' articulated dipper stick, 24" digging bucket, 8' backfill blade, air conditioning, light package, 19-1/2" TBG pads, and 11'6" crawlers. In good condition with good undercarriage.

1998 JOHN DEERE Model 690D-LC Hydraulic Excavator, s/n DW690DL520408, powered by John Deere 6 cylinder diesel engine and hydraulic drive, equipped with 9' dipper stick, 42" digging bucket, 30" TBG pads, and 13'9" crawlers. In good condition with good undercarriage.



'98 Cat 312BL



'96 Cat 312



'93 Cat 311



'97 Komatsu PC128UU



John Deere 690D-LC

1989 CATERPILLAR Model 225BLC Hydraulic Excavator, s/n 2ZD01577, powered by Cat 3208 diesel engine and hydraulic drive, equipped with 8' dipper stick, 30" digging bucket, 30" TBG pads, and 14'8" crawlers. In fair to good condition with fair undercarriage.

CATERPILLAR Model 235 Hydraulic Excavator, s/n 81X386, powered by Cat 3306 diesel engine and hydraulic drive, equipped with 9'6" dipper stick, 32" digging bucket, hydraulic quick disconnect, auxiliary hydraulics, 34" TBG pads, and 13'4" crawlers. In fair condition with fair to good undercarriage.

JOHN DEERE Model 50 Hydraulic Excavator, s/n CH0050D001068, powered by Yanmar diesel engine and hydraulic drive, equipped with 6'6" dipper stick, 12" and 24" digging buckets, backfill blade, heated cab, light package, and 15" DBG pads. In good condition with good undercarriage. (B&P)

HITACHI Model EX50URG Hydraulic Mini Excavator, s/n 10E-060B, powered by Isuzu 3 cylinder diesel engine and hydraulic drive, equipped with articulated boom, articulated stick, 5'6" and 5' 2-piece dipper stick, 24" digging bucket, 79" backfill blade, light package, and 16"x8" rubber crawlers. In good condition with fair to good undercarriage.

KOMATSU Model PC60U-3 Hydraulic Mini Excavator, s/n 4086, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with articulated boom, 5'5" dipper stick, 26" digging bucket, light package, 18" TBG pads, and 8'8" crawlers. In good condition with good undercarriage.

1999 NPK Model E-216 Hydraulic Demolition Hammer, s/n 61611, equipped with mounting brackets for Cat 330 and 325 excavators. In good to very good condition. (Ricon) (Rebuilt Approx. One Year Ago)

Komatsu PC95 Digging Buckets: 36" • 26" • 20" • 32" Digging Bucket (Cat 311)

Cat 312: Hydraulic Demolition Hammer • NPK C-6B Hydraulic Plate Compactor • NPK C-6 Hydraulic Plate Compactor • WB Hydraulic Swivel Attachment, with 60" clean-up bucket • FELCO 24" Sheepsfoot Roller Bucket • ESCO 36" Digging Bucket • Thumb Attachment

Cat 320: WB Hydraulic Swivel Attachment, with 72" clean-up bucket

ASBURY 72" Clean-up Bucket • FELCO 24" Sheepsfoot Roller Bucket Cat 325: 24" Digging Bucket • WB Frost Tooth Attachment 48" Digging Bucket (Cat 330) • Frost Tooth Attachment (Cat 330) • Short Stick (Cat 235) • (1 set) Bucket Rippers • BODINE 5-Tine Grapple (Cat 311/312) • ROCKLAND Hydraulic Thumb, s/n R21899B, with hydraulic plumbing (Cat 311/312) • NPK Hammer Points including: (2) 16X, (2) 12X, (3) E220, (2) E225, and (1) E220



Cat 235



'89 Cat 225BLC



John Deere 50



Hitachi EX50URG



'99 NPKE-216

END DUMPS

1990 VOLVO Model A25, 25 Ton 6x6 Articulated End Dump, s/n A25V6100, powered by Volvo diesel engine and 3 speed powershift transmission, equipped with heated body (not hooked up), air conditioning, and 23.5R25 tires. In good condition with fair to good tires. (Ricon)

1992 MOROOKA Model MST-600 All Terrain Dump, s/n 2191, powered by Mitsubishi 4 cylinder diesel engine and hydrostatic transmission, equipped with 7'6" steel dump body with drop sides, ROPS canopy with material basket, light package, and 20"x10'6" rubber crawlers. In good condition with good undercarriage. (Ricon)

INTEGRATED TOOL CARRIER AND RUBBER TIRED LOADERS

1995 CATERPILLAR Model IT28F Integrated Tool Carrier, s/n 3CL01531, powered by Cat 3116 diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting edge, hydraulic quick disconnect, auxiliary hydraulics, enclosed ROPS cab with heat and air conditioning, light package, and 20.5R25 tires. In good condition with fair tires. (Ricon)

IT28F: Hydraulic Side Dump Bucket • 48" Fork Attachment
FIAT ALLIS Model FR-10B Rubber Tired Loader, s/n 610219, powered by Fiat Allis 6 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting, enclosed ROPS cab with light package, and 17.5x25 tires. In fair to good condition with fair tires. (Paul)

CATERPILLAR Model 930 Rubber Tired Loader, s/n 41K998, powered by Cat 4 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket with bolt-on cutting edge, enclosed ROPS cab, and 17.5x25 tires. In fair to good condition with good tires.

BALDERSON 2.5 CY Hydraulic Side Dump Bucket (JRB Quick Coupler) **ROCKLAND Hydraulic Extended Reach Loader Bucket** (Cat IT14B) Fork Attachment (Case W-18)



Cat 930



CRAWLER TRACTORS, CRAWLER LOADERS, AND ATTACHMENTS

1990 CATERPILLAR Model D4H, Series II Crawler Tractor, s/n 8PB04383, powered by Cat 3204DI diesel engine and powershift transmission, equipped with 6-way blade, ROPS canopy, and 18" SBG pads. In good condition with good undercarriage. (Mele)

CATERPILLAR Model D3C Crawler Tractor, s/n 5KG00404, powered by Cat 3204 diesel engine and powershift transmission, equipped with 6-way blade, ROPS canopy, and 16" SBG pads. In good condition with fair to good undercarriage. (Ricon)

1995 KOMATSU Model D37P Crawler Tractor, s/n 3414, powered by Komatsu diesel engine and powershift transmission, equipped with 6-way straight blade, ROPS canopy, and SBG pads. In good condition with good undercarriage.

JOHN DEERE Model 450C Crawler Tractor, s/n 319347T, powered by John Deere diesel engine and Hi-Lo reversing transmission, equipped with 6-way blade, hydraulic winch, ROPS canopy with sweeps, rock guards, and 16" SBG pads. In good condition with good undercarriage. (B&P) (John Deere Exchange Engine, Steering Clutches - New Undercarriage)

CATERPILLAR Model D6D Crawler Tractor, s/n 4X5114, powered by Cat 3306 diesel engine and powershift transmission, equipped with straight blade, Hyster D6C hydraulic winch, ROPS canopy with sweeps, and 20" SBG pads. In fair condition with fair undercarriage. (Beckwith)

CATERPILLAR Model 963 Crawler Loader, s/n 21Z02590, powered by Cat 3304 diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, ROPS canopy, and 22" DBG pads. In fair to good condition with fair undercarriage. (Ricon)

CATERPILLAR 953 Crawler Loader, s/n 20Z00473, powered by Cat 3204 diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, ROPS canopy, and 20" DBG pads. In fair condition with fair to poor undercarriage. (Mele) (Engine Problems)

CATERPILLAR Model 955K Crawler Loader, s/n 61H513, powered by Cat diesel engine and powershift transmission, equipped with general purpose loader bucket with teeth, rear mounted counter-weight, ROPS canopy with light package, and rock guards. In fair condition with fair to good undercarriage.



John Deere 450C



Cat D6D



Cat 955K



TRACTOR LOADER BACKHOES AND ATTACHMENTS

1991 CASE Model 590, 4x4 Tractor Loader Extend-A-Hoe, s/n JG0205544, powered by Case diesel engine and shuttle transmission, equipped with general purpose loader bucket with bolt-on cutting edge, 16" digging bucket, enclosed ROPS cab with heat and air conditioning, light package, and 12-16.5 front and 19.5-24 rear tires. In fair to good condition with poor to very good tires. (Ricon)

1991 CASE Model 580 Super K, 4x4 Tractor Loader Extend-A-Hoe, s/n JG0164796, powered by Case 4 cylinder diesel engine and shuttle transmission, equipped with general purpose loader bucket with bolt-on cutting edge, 12" digging bucket, enclosed ROPS cab with heat and light package, 12x16.5 front and 19.5Lx24 rear tires. In good condition with fair to poor tires. (Paul)

1994 CASE Model 580 Super K Tractor Loader Backhoe, s/n JG0184258, powered by diesel engine and automatic transmission, equipped with 4-in-1 loader bucket, 12" digging bucket, and 11L-16SL front and 17.5Lx24K rear tires. In fair to good condition with fair to good tires. (ConEd)

JOHN DEERE Model 510C Tractor Loader Backhoe, s/n 1368721, powered by John Deere diesel engine and powershift transmission, equipped with general purpose loader bucket, 24" digging bucket, ROPS canopy, 14x17.5 front and 18.4x28 rear tires. In fair condition with fair tires.

Case 580/590: 42" Clean-up Bucket • Digging Buckets: (2) 24" • 17" SKID STEER LOADERS AND ATTACHMENTS

2000 GEHL Model SL6635DXT Series II Skid Steer Loader, s/n 6001164, powered by Deutz 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, high flow auxiliary hydraulics, quick disconnect, and 12-16.5 tires. In good condition with good tires. (Ricon)

1999 GEHL Model SL6635DXT Skid Steer Loader, s/n 12125, powered by Deutz 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with bolt-on cutting edge, high flow auxiliary hydraulics, quick disconnect, and 17.5 tires. In good condition with fair to good tires. (Ricon)

1995 NEW HOLLAND Model LX665 Turbo Skid Steer Loader, s/n 115243, powered by Ford 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, high flow auxiliary hydraulics, high lift boom, quick disconnect, and 12-16.5 tires. In good condition with very good tires.

1998 NEW HOLLAND Model LX665 Turbo Skid Steer Loader, s/n 67426, powered by diesel and hydrostatic transmission, equipped with general purpose loader bucket with teeth, auxiliary hi-flow hydraulics, hi-lift boom, pallet forks, ROPS canopy, and 10x16.5 foam filled tires. In good to very good condition with good tires. (494 Hours) (B&P)

1995 BOBCAT Model 763 Series C Skid Steer Loader, s/n 512212873, powered by Kubota 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, auxiliary hydraulics, quick disconnect, and 10-16.5 foam filled tires. In good condition with good tires.

BOBCAT Model 753 Skid Steer Loader, s/n 512720805, powered by 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, auxiliary hydraulics, quick disconnect, and 10x16.5 tires. In fair condition with fair tires. (Engine Rebuilt April '04)

LEVEL BEST LBSS6LC Laser Spreader Attachment, complete with all laser control accessories • GEHL AP2400, 24" Planer • 1997 ALITEC C718A Hydraulic Asphalt Cutter • 2002 FFC LF6874, 76" Landscape Rake • ROCKHOUND 72A, 72" Hydraulic Landscape Rake • ROCKHOUND 60A, 60" Hydraulic Landscape Rake • ALITEC 48" Hydraulic Rock Saw Attachment • BOBCAT WS18, 48" Hydraulic Rock Saw Attachment • Unused Hydraulic 4-in-1 Loader Bucket • (5) Unused 60" General Purpose Loader Buckets • 48" Fork Attachment • (1) 10x16.5 Tire and Rim (Unused) (New Holland LX665) • (1 Set) Grouser Steel Tracks



'91 Case 590, 4x4
(2) Gehl SL6635DXT
'98 New Holland LX985
'98 New Holland LX665

LOG SKIDDER, MOTOR GRADERS, AND BROOM TRACTORS

FRANKLIN Model 132 Log Skidder, s/n 7262, powered by Detroit 4-53 diesel engine and direct drive transmission, equipped with winch, ROPS cab with sweeps, tire chains, and 23x26 tires. In good condition with good to very good tires. (200 Hours On Engine Overhaul) (New Clutch, Pressure Plate - Through Bearing) (1700 Rear Ends and Winch) (Tire Chains Sold Separately) (B&P)

(2) 23.1x26 Logger Tires (B&P)

JOHN DEERE Model 570A Motor Grader, s/n 003041T, powered by JD 6 cylinder diesel engine and powershift transmission, equipped with 12" moldboard, front mounted scarifier, enclosed ROPS cab with light package, and 15.5x25 tires. In good condition with good tires. (Mele)

GALION Model 440HA Motor Grader, s/n 440HAGM058, powered by Detroit 4-53 diesel engine and direct drive transmission, equipped with 12" moldboard, front mounted scarifier, enclosed cab, and 13.00x24 tires. In fair to good condition with fair to good tires.

CASE/INTERNATIONAL Model 585 Broom Tractor, s/n B500915B022721, powered by 4 cylinder diesel engine and direct drive transmission, equipped with Sweeper 6" hydraulic boom attachment, water system with 110 gallon poly tank, 3-point hitch, PTO with hydraulic pump, ROPS post, and 7.50-16 front and 16.9-24 rear tires. In good condition with good tires. (Ricon)

INTERNATIONAL Broom Tractor, powered by 6 cylinder gas engine and 5 speed direct drive transmission, equipped with 6' hydraulic broom, water system with 30 gallon poly tank, 3-point hitch, PTO with hydraulic pump, and 235/85R16 front and 14.9-28 rear tires. In good condition with good tires. (Ricon)

ELGIN Model Pelican Sweeper, s/n S4801S, powered by JD diesel engine and automatic transmission. In good condition. (ASPHALT PAVERS, ROLLERS, AND DISTRIBUTOR TRUCK)



Franklin 132
'88 Case-Int'l 585
'99 Gehl 1448

1999 GEHL Model 1448 Crawler Power Box Paver, s/n 100317312, powered by 3 cylinder diesel engine and hydrostatic transmission, equipped with 8' heated screed with 2' strike-offs. In good condition with good undercarriage. (0.218 Hours) (Ricon)

BUCKET BROS. Model T650B Crawler Power Box Paver, s/n PB988352, powered by Wisconsin 4 cylinder gas engine and hydrostatic transmission, equipped with 9' screed with 2' strike-offs. In good condition.

WACKER Model WHK50100 Vibratory Roller, s/n 666004764, powered by Lombardini 2 cylinder diesel engine and hydrostatic transmission, equipped with 39" smooth drums and water system. In fair to good condition. (Ricon)

RAYGO Model 2-36 Romper Double Drum Roller, s/n C048D, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 36" smooth drums, drum cleaners, and water system. In fair to good condition.

BOMAG Model BW130AD Vibratory Asphalt Roller, s/n 10165000241, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 50" smooth drums. In fair to good condition. (Bad Drive Pump)

1991 BOMAG Model BW-80 Walk Behind Vibratory Roller, s/n 73666, powered by 1 cylinder diesel engine and hydrostatic transmission, equipped with 24" smooth drums and water system. In fair to good condition. (Paul)

DUPACT Walk Behind Roller • BOMAG Model BW-35 Trench Compactor (Paul)

GALION Model RP12 Milling Machine, s/n 173, powered by Ford 4 cylinder diesel engine and hydrostatic transmission, equipped with 12" cutter drum, enclosed ROPS cab with light package, and 7.00x12 tires. In fair condition with good tires.

1987 FORD Model F-800 Single Axle Distributor Truck, powered by V-8 gas engine and 5 speed transmission with 2 speed rear, equipped with Etnyre model BY, 1.314 gallon distributor body, s/n J-1386, powered by Continental 4 cylinder gas engine, and 11R22.5 tires. In fair condition with fair tires.

1996 REEVES Portable Tar Buggy, s/n B6594 • Tar Kettle, powered by Briggs & Stratton 3HP gas engine



Gomaco GT3300
'98 Shuttlelift 5550RT

CURB MACHINE AND ASSORTED CONCRETE SUPPORT EQUIPMENT

GOMACO Model GT3300 Slip Form Paver, s/n MC14785-31, powered by Cummins 4BT3.9L diesel engine and hydrostatic transmission, equipped with 24" hydraulic trench head, 20" loading conveyor, concrete vibrators, (2) molds, 18" curb and curb/gutter, and approximately 7(5) string-line pins. In good condition with good undercarriage. (GECG)

(2) AMIDA Concrete Power Dump Buggies, powered by Honda 13HP gas engines and hydrostatic transmissions. In good condition.

TELESCREED 16'-32" Telescopic Concrete Screed, s/n 1028, powered by (2) Kawasaki gas engine, complete with all accessories. In good condition.

(1) 20", (2) 16" and (1) 10' Gas Powered Pull-Off Concrete Screeds • Vibrating Concrete Bull Float • Assorted Concrete Tools and Accessories • WEDGE Walk Behind Concrete Saw, Wisconsin gas engine (GARBR0 2 c.y. Concrete Bucket • Laydown 2 c.y. Concrete Bucket • 1 c.y. Concrete Bucket



STRAW BLOWER AND TRENCHER

REINCO Model TM7-30 Skid Mounted Straw Blower, s/n 3058, powered by Wisconsin 37HP, 4 cylinder gas engine, equipped with rotating chute. In fair condition. (Ricon)

QUICK TRENCH Model KT1200B Walk Behind Trencher, s/n 80026, powered by Honda 6.5HP gas engine, equipped with single axle 44"x60" tilt deck trailer, s/n 100012, with 8.5x8 tires. In good condition with good tires.

CARRY DECK CRANES

1998 SHUTTLELIFT Model 5550RT, 15 Ton, 4x4 Carry Deck Crane, s/n 11121298, powered by Cummins 3.9 liter diesel engine and powershift transmission, equipped with 15' - 43.5' 4-section boom, anti-two block device, hook block, enclosed 800 lb. hook, (4) hydraulic outriggers, and 385/85R22.5 tires. In good condition with good tires. (Suntrust)

GROVE Model 68, 10 Ton Hydraulic Carry Deck Crane, s/n 67966, powered by Detroit 453 diesel engine and shuttle transmission, equipped with 30'-3-section boom, air brakes, (4) outriggers, and 11.00-20 tires. In good condition with good tires. (ConEd)



'98 Shuttlelift 5550RT
Grove 68, 8 Ton
'85 P&H CN128

ROUGH TERRAIN CRANES

P&H Model CN150, 50 Ton Hydraulic Rough Terrain Crane, s/n 55667, powered by Cummins diesel engine and powershift transmission, equipped with 34'-84.6" 3-section hydraulic boom, manual pullout to 110', 35'-60' 2-section swing-away jib, auxiliary hoist, anti-two block, and 26.5x25 tires. In good condition with good tires. In good condition with good tires. (Maxim)

1992 LINK-BELT Model HSP8028, 28 Ton Hydraulic Rough Terrain Crane, s/n 47120442, powered by Detroit 8.2 liter diesel engine and powershift transmission, equipped with 28.75' - 70.25' 3-section power boom, 4-sheave hook block, LMI, cab heater, and 20.5x25 tires. In good condition with fair to good tires. (Maxim)

1992 LINK-BELT Model HSP8028, 28 Ton Hydraulic Rough Terrain Crane, s/n 47120436, powered by Detroit 8.2 liter diesel engine and powershift transmission, equipped with 28.75' - 70.25' 3-section power boom, 4-sheave hook block, LMI, cab heater, and 20.5x25 tires. In good condition with fair to good tires. (Maxim)

P&H Model CN128, 28 Ton Hydraulic Rough Terrain Crane, s/n 53431, powered by Detroit 8.2 liter diesel engine and powershift transmission, equipped with 29' - 70.3' 3-section hydraulic boom, 25' swing-away, 3-sheave hook block, Kruger anti-two block, cab heater, and 20.5x25 tires. In good condition with fair to good tires. (Maxim)

1991 LORAIN Model LRT275, 27.5 Ton Hydraulic Rough Terrain Crane, s/n 79985, powered by Cummins 6 cylinder diesel engine and 3 speed powershift transmission, equipped with 30'-94' 4-section hydraulic boom, 26' swing-away jib, 4-sheave hook block, anti-two block, (4) hydraulic outriggers, and 16.00x25 tires. In good condition with good tires. (Maxim)

1990 LORAIN Model LRT275, 27.5 Ton Hydraulic Rough Terrain Crane, s/n 79922, powered by Cummins 6 cylinder diesel engine and 3 speed powershift transmission, equipped with 30'-94' 4-section hydraulic boom, 26' swing-away jib, 4-sheave hook block, anti-two block, (4) hydraulic outriggers, and 16.00x25 tires. In good condition with good tires. In good condition with good tires. (Maxim)

GROVE Model RT58B, 15 Ton Hydraulic Rough Terrain Crane, s/n 43406, powered by Detroit 4 cylinder diesel engine and powershift transmission, equipped with 60'-3-section hydraulic boom, 3-sheave hook block, (4) hydraulic outriggers, and 17.5x25 tires. In good condition with good tires. (Maxim)



'90 Lorain LRT275
Grove RT58B
'99 Terex TB100

AERIAL LIFTS

1999 TEREX Model TB100, 100', 4x4 Telescopic Aerial Lift, s/n 99680008, powered by Cummins B3.9C diesel engine and hydrostatic transmission, equipped with 4-section telescopic straight boom, 2-man 6' platform with 500# capacity, and 15x19.5 tires. In good condition with good tires. (Suntrust)

1994 GROVE Model AMZ86XT, 80', 4x4 Telescopic Aerial Lift, s/n 30955, powered by Cummins 4BT3.9C, 100HP diesel engine and hydrostatic transmission, equipped with 4-wheel steer, 500# platform capacity, platform rotate and level, and 15.00x20 tires. In good condition with good tires. (Maxim)

(2) 1997 GROVE Model MZ66B, 60', 4x4 Telescopic Aerial Lifts, s/n 44123 & s/n 44122, powered by Deutz 3 cylinder, diesel engine and hydrostatic transmission, equipped with 2-wheel steer, 500# 2-person work platform, platform rotate and level, and 15x19.5NH tires. In good condition with good tires. (Maxim)

(2) 1998 TEREX Model T50RT, 50', 4x4 Aerial Lifts, s/n 15147 & s/n 15144, powered by Hatz 2 cylinder diesel engine and hydrostatic transmission, equipped with articulated boom, 2-man 500# capacity man basket, and 12x16.5 tires. In good condition with good tires. (Maxim)


(4) 1998 TEREX Model T50RT, 50' 4x4 Aerial Lifts, s/n 15149, 15071, 15013, & 15012, powered by Ford VSG413 dual fuel (gas/LP) engine and hydrostatic transmission, equipped with articulated boom, 2-man 500# capacity man basket, and 12x16.5 tires. In good condition with very good tires. (Maxim)

(2) 1998 SNORKELIFT Model UNO41KU, 40' Aerial Lifts, s/n 9802630398 and -0198, powered by Kubota 4 cylinder diesel engine and hydrostatic transmission, equipped with 4-wheel drive, 500# capacity man basket, and 12x16.5 tires. In good condition with good tires. (Maxim)

1997 JLG Model 40H, 40' Aerial Lift, s/n 034363 0300028006, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 2-wheel drive, 500# capacity man basket, and 12.5L-15 tires. In good condition with good tires. (Maxim)

(2) 1998 JLG Model 40HA, 40' Aerial Lifts, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 500# capacity man basket and 14x17.5 tires. In good condition with good tires. (Maxim)

JLG Model 40HOSR, 40' Aerial Lift, s/n 0308610057, powered by Ford 4 cylinder gas engine and hydrostatic transmission, equipped with 36"x60" man basket, 1.000# capacity, and 12.5L-15 tires. In good condition with fair to good tires. (Maxim)



'99 Terex TB100
'94 Grove AMZ86XT, 80'
(2) '97 Grove MX66B, 60'

SCISSORS LIFTS

(2) 1998 JLG Model 40RTS, 40' Scissors Lifts, s/n 020047182 & s/n 179, powered by Deutz diesel engine and hydrostatic transmission, equipped with 4-wheel drive, 2-wheel steer, 750# capacity, and 12x16.5 tires. In good condition with good tires. (Maxim)

1998 JLG Model 40RTS, 40' Scissors Lift, s/n 0200049640, powered by Ford 4 cylinder dual fuel (gas/LP) engine and hydrostatic transmission, equipped with 4-wheel drive, 2-wheel steer, 12'x5'8" work platform, manual extendable to 14'6", 750# 3-person capacity, and 12x16.5NH tires. In fair to good condition with good tires. (Maxim)

1997 JLG Model 33RTS, 33' Scissors Lift, s/n 003793 0200027148, powered by 4 cylinder dual fuel (gas/LP) engine and hydrostatic transmission, equipped with 4-wheel drive, 1.500# 4-person platform with 1,250# 4-person extension, and 12x16.5 tires. In good condition with good tires. (Maxim)

(1) 1998 TEREX Model TS25, 26' Electric Scissors Lift, s/n 93340133, 167, & 185, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 8'x46" work platform with 2' manual extension, 1.000# rated work load, onboard charger, and 4.00x8 solid non-marking tires. In fair to good condition with good tires. (Maxim)

1995 SNORKEL Model SL25, 25' Electric Scissors Lift, s/n 952787, powered by 24 volt batter bank and hydrostatic transmission, equipped with 2-wheel drive, work platform, onboard charger, and solid non-marking tires. (Maxim)

(2) 1997 GROVE Model SM3146E, 25' Electric Scissors Lifts, s/n 43622 & s/n 43618, powered by 24 volt battery bank and hydrostatic transmission, equipped with 650# 2-person platform - on extension 250# 1-person, and 16x5-8 cushion tires. In good condition with good tires. (Maxim)

(2) 1996 JLG Model 2033E, 20' Electric Scissors Lift, s/n 0200027370 & s/n 7373, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 8'x24" work platform with manual extension, 750# 2-person platform capacity, onboard charger, and 16x5 solid non-marking tires. In fair to good condition with fair to good tires. (Maxim)

1997 GROVE Model SM3146E, 25' Electric Scissors Lifts, s/n 43622 & s/n 43618, powered by 24 volt battery bank and hydrostatic transmission, equipped with 650# 2-person platform - on extension 250# 1-person, and 16x5-8 cushion tires. In good condition with good tires. (Maxim)


(2) 1996 JLG Model 2033E, 20' Electric Scissors Lift, s/n 0200027370 & s/n 7373, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 7'6"x30" work platform with manual extension, 800# work platform capacity, onboard charger, and 4.00x8 solid non-marking tires. In fair to good condition with fair to good tires. (Maxim)

(2) 1996 JLG Model 2033E, 20' Electric Scissors Lift, s/n 0200027370 & s/n 7373, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 8'x24" work platform with manual extension, 750# 2-person platform capacity, onboard charger, and 16x5 solid non-marking tires. In fair to good condition with fair to good tires. (Maxim)

1997 GROVE Model SM3146E, 25' Electric Scissors Lifts, s/n 43622 & s/n 43618, powered by 24 volt battery bank and hydrostatic transmission, equipped with 650# 2-person platform - on extension 250# 1-person, and 16x5-8 cushion tires. In good condition with good tires. (Maxim)

1999 TEREX Model TS20, 20' Electric Scissors Lift, s/n 99320239, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 8'x30" work platform with manual extension, 800# rated work load, onboard charger, and 4.00x8 solid non-marking tires. In good condition with good tires. (Maxim)

1995 SNORKEL Model SL-15, 15' Electric Scissors Lift, s/n 9502160195, powered by 24 volt battery bank and hydrostatic transmission, equipped with 2-wheel drive, 7'0"x25" work platform with manual extension, 600# platform capacity, onboard charger, and 2.00x8 solid non-marking tires. In fair to good condition with fair to good tires. (Maxim)



'94 Grove AMZ86XT, 80'
(2) '97 Grove MX66B, 60'
(1) of (6) '98 Terex T50RT, 50'
(2) '98 Snorkel 40'
Holan 46'

TRUCK TRACTORS AND LOWBOY TRAILERS

(TO BE OFFERED SEPARATELY AND AS AN ENTIREY)


'00 PETERBIT Model 378 Tri Axle Truck Tractor, powered by Cat 3406, 600HP diesel engine and Eaton Fuller 18 speed transmission, equipped with 20,000# front and 44,000# rear axles, 25,000# airift 3rd axle, wet line, double frame, 2-stage engine brake, air ride suspension, 238" wheelbase, air slide 5th wheel, aluminum wheels, tanks, 238 and fenders, aluminum diamond plate headcage rake, cruise control, power passenger window, air conditioning, heated mirrors, and 425/65R22.5 high flotation front and 11R24.5 rear tires. In good to very good condition with fair to good tires. (145,000 Miles) (Ricon)

'00 TALBERT Model T14JW555A-HRG-1-T1, 55 Ton Tri Axle Lowboy Trailer, equipped with non-ground bearing detachable gooseneck, 8'6"x24'6" level deck, 12' over axles, wetline, air lift tag axle, air ride suspension, aluminum wheels, bracket for 4th axle, outriggers, tie-downs, and 275/70R22.5 tires. In good to very good condition with good tires. (Ricon)

1988 MACK Model RS613 Tandem Axle Truck Tractor, powered by Mack 6 cylinder diesel engine and Maxitorque T20B90, 9 speed transmission, equipped with wetline, air slide 5th wheel, air ride, engine brake, 209" wheelbase, air conditioning, and 11R24.5 tires. In fair to good condition with fair to good tires. (Mele)

1988 ROGERS Model TH35-SZ22-57-526, 35 Ton Tandem Axle Lowboy Trailer, equipped with ground bearing detachable gooseneck, 8'x22' level deck, 7' over tandems, wetline, outriggers, chain dogs, and 255/70R22.5 tires. In fair condition with fair tires. (Mele)

1983 MACK Model R685T Single Axle Truck Tractor, powered by 6 cylinder diesel engine and 5 speed transmission, equipped with 152" wheelbase, and fixed 5th wheel. In fair condition with fair to poor tires.



'00 Peterbilt 378
(1) of (2) '85 Mack Dumps

DUMP TRUCKS

1985 MACK Model R688T Tandem Axle Dump Truck, powered by Mack EM6-300 diesel engine and 10 speed transmission, equipped with 15' steel dump body, Dynatard engine brake, air conditioning, and 11R22.5 tires. In fair to good condition with good tires. (Ricon)

1985 MACK Model R686SLT Tandem Axle Dump Truck, powered by Mack diesel engine and 6 speed lo-hole transmission, equipped with 14'6" steel dump body, Jacobs 2-stage engine brake, air conditioning, and 11R24.5 tires. In fair to good condition with good tires. (Paul)

1973 MACK Model RD686 Tandem Axle Dump Truck, powered by Mack ENDTB-675 diesel engine and 6 speed lo-hole transmission, equipped with 14' steel dump body, Dynatard engine brake, and 11R24.5 tires. In fair condition with fair tires. (Ricon)

1978 MACK Model R685T Tandem Axle Dump Truck, powered by Mack 235HP diesel engine and 6 speed lo-hole transmission, equipped with 15' steel dump body, 2-position Jake brake, AM/FM cassette, and 11R22.5 tires. In good condition with fair to good tires. (Paul)

1986 FORD Model 9000 Tandem Axle Dump Truck, powered by Cummins 350HP diesel engine and Fuller Roadranger 13 speed transmission, equipped with 14' steel dump body with electric roll-over tarp and 11R22.5 tires. In fair to good condition with fair tires.

1990 FORD Model 1900 Single Axle Dump Truck, powered by Cummins 270HP diesel engine and Spider 7 speed transmission, equipped with 10' aluminum dump body with coal chute and 315/80R22.5 tires. In good condition with fair tires.

1997 CHEVROLET Model 3500D Single Axle Dump Truck, powered by diesel engine and automatic transmission, equipped with 10' steel dump body with 12" flip-down sides, wood side boards, AM/FM stereo, and 225/70R19.5 tires. In good condition with fair tires. (Ricon)

1991 FORD Model F-Super Duty Single Axle Dump Truck, powered by 7.3 liter diesel engine and 5 speed transmission, equipped with 8'6" steel dump body, 8'6" snowplow, and 235/85R16 tires. In fair condition with good tires. (Mele)

1983 MACK Model R685T Single Axle Dump Truck, powered by Mack 237 diesel engine and 5 speed transmission, equipped with 10'6" steel dump body, 10' snowplow, salt spreader, 11R22.5 front and 10.00x20 rear tires. In good condition with good tires. (Mele)

1977 MACK Model 1975 Tri-Axle Dump Truck, powered by Mack diesel engine and 6 speed lo-hole transmission, equipped with steel dump body. In fair to poor condition with fair tires.

1973 MACK Model R600 Tandem Axle Dump Truck, powered by Mack 237 diesel engine and 5 speed transmission, equipped with 13' aluminum dump body, 12,000# front axle, 38,000# rears, and 10.00x20 tires. In fair condition with fair to good tires. (WP)

MACK Model 688T Single Axle Dump Truck, powered by diesel engine and 5 speed transmission, equipped with 11' aluminum dump body with dual coal chutes. In fair condition with good tires.



'86 Ford 9000
'90 Ford L9000
'97 Chevy 3500D


MECHANICS AND UTILITY TRUCKS

1999 FORD Model F-550XL, 4x4 Mechanics Truck, powered by Powerstroke 7.3L diesel engine and 5 speed transmission, equipped with Maintainer 10'6" open mechanics body, Maintainer model 3216-20, 6.000# service crane, s/n 1905-11171321T, gas powered air compressor, air conditioning, work lights, and (4) stabilizers. In good condition with good tires.

1996 FORD Model F-350XL, 4x4 Mechanics Truck, powered by 7.3 liter Turbo diesel engine and automatic transmission, equipped with Knapheide 8' mechanics body, approximately 50 gallon fuel tank with 12 volt pump, dual fuel tank with 12 volt pump, air conditioning, AM/FM cassette, and 235/85R16 tires. In good condition with fair to good tires. (Paul)

1992 FORD Model F-350 Mechanics Truck, powered by 7.3 liter diesel engine and automatic transmission, equipped with Fordson 9' open mechanics body, dual fuel tanks, over cab storage, approximately 50 gallon fuel tank with 12 volt pump, and 235/85R16 tires. In good condition with good tires. (Paul) (Rebuilt Transmission Aug. '04)

1980 INTERNATIONAL Model 1754 Single Axle Utility Truck, powered by HC 8 cylinder diesel engine and 5 speed transmission, equipped with 11' walk-in utility body with side boxes and 8.25R20 tires. In fair condition with fair to good tires. (Ricon)



FLATBED AND VAN BODY TRUCKS


2000 GMC Model 3500, 4x4 Flatbed Truck, powered by 6.5 liter diesel engine and automatic transmission, equipped with 9' flatbed, side tool boxes, air conditioning, AM/FM cassette, and 225/75R16 tires. In good condition with good tires. (Ricon)

1979 FORD Model F-600 Single Axle Flatbed Truck, powered by V-8 gas engine and 4 speed transmission, equipped with 18' flatbed and 9-22.5 tires. In fair condition with fair tires. (Ricon)

1989 FORD Model F-350 Single Axle Flatbed Truck, powered by V-8 gas engine and 5 speed transmission, equipped with 12' flatbed with wood sides, dual fuel tanks, and 215/85R16 tires. In fair condition with fair to good tires. (Ricon)

1979 INT'L Model 1824 Single Axle Flatbed "Oil Field" Truck, equipped with Detroit 8 cylinder diesel engine and 5 speed transmission with 2 speed rear, equipped with Leland 12'6" flatbed, A-frame, and Tulsa chain drive winch. In fair condition with fair tires. (ConEd)

1995 FORD Model CF8000 Cab Over Van Body Truck, powered by Ford 6 cylinder diesel engine and 6 speed transmission, equipped with Morgan 26' aluminum van body with roll-over rear door, air conditioning, and 295/75R22.5 tires. In good condition with good tires. (Paul)



'96 Ford F-350XL, 4x4
'00 GMC 3500, 4x4
'95 Ford CF8000

ROLL-BACK, WRECKER, WATER, AND FIRE TRUCKS

1975/1992 Gilder Kit Ford L9000 Tandem Axle Rollback Truck, powered by Cummins diesel engine and 13 speed transmission, equipped with 40,000# rears, Jerr Dan 24" body, winch, and 11R22.5 tires. In good condition with good tires. (B&P)

1987 GMC Model Brigadier Wrecker Truck, powered by Cat 3208 diesel engine and automatic transmission, equipped with Weld-Built model GC, 30 ton dual hoist wrecker boom with (2) steel winches, Start-All with 16HP gas engine, and 29R22.5 tires. In good condition with good tires. (ConEd)

FORD Model F-600, 4x4 Water Truck, powered by V-8 gas engine and 5 speed transmission, equipped with 1,500 gallon water tank and 9.00x20 tires. In fair condition with fair to good tires. (Mele)

1966 SEAGRAVE Model 900-KB-750 Single Axle Fire Truck, powered by Detroit 8 cylinder diesel engine and automatic transmission, equipped with 750 gpm pump, 2-stage Jake brake, open cab, and 10.00x20 tires. In good condition with fair to good tires.

1982 FORD Model 8000 Single Axle Fire Truck, powered by Detroit 8 cylinder diesel engine and automatic transmission, equipped with Pierce model CMYB82 body with 1,000 gpm pump, hose and accessories, and 11.00x20 tires. In good condition with good tires.




MOBILE FIELD OFFICE AND WASH VANS

1990 WINNEBAGO Model SCP37RS, 37' Field Office Vehicle, powered by V-8 gas engine and automatic transmission, equipped with 120-volt AC amp, single phase, hydraulic leveling, electric and telephone hook-up, power package, conference area, back-up camera, air conditioning, and 8R-19.5 tires. In fair to good condition with fair to good tires. (2,925 Original Miles) (ConEd)

1989 CHEVROLET Model G60, 29' Walk-In Wash Van, powered by 6 cylinder gas engine and automatic transmission, equipped with Onan 12.5KW generator, shower stall, 30 gallon hot water heater, lockers, and 9R22.5 tires. In fair condition with fair tires. (ConEd)

1988 CHEVROLET Model G60, 29' Walk-In Wash Van, powered by 6 cylinder gas engine and automatic transmission, equipped with Onan 12.5KW generator, shower stall, 30 gallon hot water heater, and 9R22.5 tires. In fair condition with fair tires. (ConEd)



PICKUP TRUCKS

2000 CHEVROLET Model 1500 Silverado 4x4 Extended Cab Pickup Truck, powered by Vortec V-8 gas engine and automatic transmission, equipped with 7' bed with cross toolbox, running boards, tow package, cruise control, AM/FM cassette, air conditioning, and 245/75R16 tires. In good condition with good tires. (Ricon)

1999 CHEVROLET Model 2500, 4x4 Pickup Truck, powered by Vortec V-8 gas engine and automatic transmission, equipped with 8' bed, ladder rack, air conditioning, cruise control, AM/FM cassette, and tow package. In good condition with fair to poor tires. (Ricon)

1992 FORD Model F-350 Pickup Truck, powered