

Please visit our website at
www.hunyady.com

LARGE ABSOLUTE AUCTION

1440 Cowpath Rd. • Hatfield, PA 19440 • 215/361-9099 • Fax: 215/361-9212

NOTICE: Maxim Crane Works, J.A. Taddei, Glenn O. Hawbaker, Inc., Donegal Construction, Consolidated Edison Co. of New York, Inc., OEC Rentals, Ingersoll Rand Remarketing, as well as many area contractors, are selling equipment that is surplus to their present needs. Everything in the auction will sell to the highest bidder regardless of price!

LOCATION: The auction will be conducted at the former Pace Pipeline property, located on Business Route 66 in Delmont, Pennsylvania 15601

TERMS: Payment in full is required on sale day by cash, certified funds, or check with a bank letter of guarantee. Sample letter of guarantee: "We hereby guarantee the payment of our customer _____ written on his account up to _____ dollars for purchases at your auction sale on June 23, 2005." All guaranteed checks should be made payable to Hunyady Auction Co.

SALES TAX: The Commonwealth of Pennsylvania requires that sales tax be collected on items being sold by lending institutions, rental companies, and equipment dealers, with the exception of titled vehicles. Items subject to the Pennsylvania State Sales Tax at the rate of 6% will be noted in the sale day catalog.

INSPECTION: Items will be available for inspection one week prior to the auction, with the exception of Sunday, June 19th, from 8:00 a.m. until 5:00 p.m. or sale day morning from 7:00 a.m. until 9:00 a.m.

REMOVAL: After complete payment, all sale items may be removed on sale day as long as the removal activity is not disruptive to the sale and only until 5:00 p.m. Items may also be removed Friday and Saturday, June 24 and 25, and Monday, June 27 through Wednesday, June 29, from 8:00 a.m. until 5:00 p.m. All items must be removed no later than Wednesday, June 29, at 5:00p.m.

SALE SITE DIRECTIONS: FROM THE INTERSECTION OF US ROUTE 22 AND STATE ROUTE 66: Follow Route 66 South (0.8) miles to Exit #12 (Old Exit 7) (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South (0.9) miles to sale site on left.

PENNSYLVANIA TURNPIKE TRAVELING EAST: Exit #57 (Old Exit #6) (Pittsburgh) and follow Route 22 East to Route 66 South and follow directions above.

PENNSYLVANIA TURNPIKE TRAVELING

WEST: Exit #75 (Old Exit #8) (New Stanton) and follow signs and proceed to toll road Route 66 North. Travel on Route 66 North 11.9 miles to Exit #7/12 (Boquet/Forbes Road/Business Route 66). Proceed to the end of ramp and turn left onto Business Route 66 South. Continue on Business Route 66 South 1.0 miles to sale site on left.


AIRPORT INFORMATION: This area is serviced both privately and commercially through Arnold Palmer Regional Airport in Latrobe, Pennsylvania (724) 539-8100 (LBE). Rental cars are available.

MOTEL INFORMATION: Holiday Inn Express (Delmont) (724) 468-1050 • Super 8 (Rt. 66 Delmont) (724) 468-4888 • Days Inn (New Stanton-20 minutes from sale site) (724) 925-3591 *(There are many additional motels in the New Stanton, Greensburg, and Monroeville areas)*

PA AUCTION LICENSE NO: AY000281

**SALE SITE
PHONE NUMBER:
(724) 837-2581**

**SALE SITE
FAX NUMBER:
(724) 837-2584**



LARGE ABSOLUTE AUCTION

Thursday, June 23, 2005 • 9:00AM



(1) OF (2) CAT 627EPP

**Delmont
Pennsylvania
(Pittsburgh Area)**



1440 COWPATH RD. • HATFIELD, PA 19440
215/361-9099 • Fax: 215/361-9212



'97 MIDLAND SP



CAT D6RXL



LINK-BELT HC238A, 140 TON

PRE-SORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
HAVERTOWN, PA
PERMIT #45



'88 CAT 627EPP



'86 CAT 627EPP



CAT 621



'02 CAT D6RXL

TANDEM MOTOR SCRAPERS

1988 CATERPILLAR Model 627E PP Tandem Motor Scraper, s/n 6GB00629, powered by Cat 3306 diesel engine (front and rear) and 8 speed powershift transmission, equipped with front cushion hitch with hydraulic bale, rear hitch, enclosed operators cab with air conditioning, and 29.5x35 tires. In good condition with fair to good tires. (Rear Engine & Transmission Rebuilt In February 2005 By Cat Dealer - Approx. 100 Hours Ago) (JAT)

1986 CATERPILLAR Model 627E PP Tandem Motor Scraper, s/n 6GB00521, powered by Cat 3306 diesel engine (front and rear) and 8 speed powershift transmission, equipped with front cushion hitch with hydraulic bale, rear hitch, enclosed operators cab with air conditioning, and 29.5x35 tires. In good condition with fair to good tires. (JAT)

TEREX Model TS14B Tandem Motor Scraper, s/n 1259, powered by (2) Detroit 4-71 diesel engines and powershift transmission, equipped with ROPS canopy, light package, and 29.5x25 tires. In fair to good condition with fair to good tires. (BB)

CATERPILLAR Model 621 Motor Scraper, s/n 23H663, powered by Cat diesel engine and powershift transmission, equipped with ROPS canopy, light package, and 29.5x29 tires. In fair to good condition with fair to good tires. (BB)

CRAWLER TRACTORS

2002 CATERPILLAR Model D6RXL Crawler Tractor, s/n 5LN03475, powered by Cat 3306 diesel engine and powershift transmission, equipped with differential steering, 18" semi-U blade with right tilt, 3rd valve, 24" SBG pads, and ROPS post over enclosed cab with heat and air conditioning. In good condition with good undercarriage. (JAT)

CATERPILLAR Model D5B Crawler Tractor, s/n 25X02441, powered by Cat 3306 diesel engine and powershift transmission, equipped with straight blade with hydraulic tilt, ROPS canopy with light package, drawbar, and 18" SBG pads. In good condition with good undercarriage. (CC)

1997 DAEWOO Model DD80L Crawler Tractor, s/n 0028, powered by 4 cylinder diesel engine and hydrostatic transmission, equipped with 6-way straight blade, enclosed ROPS cab, light package, and 30" pyramid pads. In good condition with good undercarriage. (ECO)

MITSUBISHI Model BD2G Crawler Tractor, s/n 2B100474, powered by 4 cylinder diesel engine and direct drive transmission, equipped with 6-way straight blade, canopy, and 20" pyramid pads. In good condition with good undercarriage. (ECO)

MITSUBISHI Model BD2F Crawler Tractor, s/n 1B201220, powered by 4 cylinder diesel engine and direct drive transmission, equipped with 6-way straight blade, canopy, and 28" pyramid pads. In good condition with good undercarriage. (ECO)

HYDRAULIC EXCAVATORS

2000 KOMATSU Model PC200EL-6K Hydraulic Excavator, s/n K32307, powered by Cummins 6 cylinder diesel engine and hydraulic drive, equipped with 9'6" dipper stick, 42" digging bucket, 13'3" crawlers, 35.5" TBG pads, and air conditioning. In good condition with good undercarriage. (OEC)

1996 CATERPILLAR Model 312 Hydraulic Excavator, s/n 6GK01823, powered by Cat 3064 diesel engine and hydraulic drive, equipped with 8' dipper stick, 36" digging bucket, hydraulic beyond, enclosed cab with heat, light package, 11'6" crawlers, and 24" TBG pads. In good condition with fair to good undercarriage. (OEC)

1996 LINK-BELT Model 4300Q Hydraulic Excavator, s/n LE216-6094, powered by Cummins M11 diesel engine and hydraulic drive, equipped with 11' dipper stick with hydraulic beyond, JRB quick coupler, Esco 48" digging bucket, enclosed operators cab with heat, 32" TBG pads, and 16' crawlers. In fair to good condition with good undercarriage. (JAT)

HITACHI Model UH025 Hydraulic Excavator, s/n 104-5567, powered by 4 cylinder diesel engine and hydraulic drive, equipped with 5'6" dipper stick, articulated boom, 26" digging bucket, enclosed cab with heat and air conditioning, and 24" TBG pads. In good condition with good tires. (ECO)

1991 KOMATSU Model PC60-6 Hydraulic Excavator, s/n 36824, powered by Komatsu 4 cylinder diesel engine and hydraulic drive, equipped with 5'9" dipper stick, 24" digging bucket, WB quick disconnect, 8'8" crawlers, and 18" TBG pads. In good condition with good undercarriage. (OEC)

KOMATSU Model PC15 Mini Excavator, s/n 1321, powered by 3 cylinder diesel engine and hydrostatic transmission, equipped with 48" dipper stick, 18" digging bucket, backfill blade, canopy, and 10" rubber tracks. In good condition with good undercarriage. (ECO)

1987 GRADALL Model G3WD Rubber Tired Hydraulic Excavator, s/n NP387993, powered by Cummins 6BT5.9 diesel engine and direct drive transmission, equipped with 2-stage hydraulic rotary boom, remote operation, and 18x22.5 tires. In fair to good condition with good tires. (Brayman)

WARNER & SWASEY Rubber Tired Excavator, s/n NP2122238, powered by Cummins 6 cylinder diesel engine, equipped with 2-stage hydraulic rotary boom, 60" clean-up bucket, remote travel, mounted on 6x4 carrier powered by Detroit 6 cylinder diesel engine and 5 speed transmission with 4 speed auxiliary, equipped with 11.00x20 tires. In fair to poor condition with fair to good tires. (OEC)



CAT D5B



MITSUBISHI BD2G



'00 KOMATSU PC200EL-6K



MITSUBISHI BD2F



EXCAVATOR ATTACHMENTS

2000 STANLEY MB70EX Hydraulic Demolition Hammer, s/n 1798, 7,000 ft. lb. class. In good condition. (4300Q) (JAT) • **GEITH 5-Tine Grapple (PC200)** (JAT) • **2001 LABOUNTY CP80 Concrete Pulverizer**, s/n CP80299. In good condition. (PC300) (JAT) • **Concrete Pulverizer (PC300)** (OEC) • **WB 42"**, **ENSLEY 24"**, and **28" Digging Buckets (JD 490/120)** (JBC) • (2) **KISS Quick Disconnects (320 & 330)** (GOH)

MOTOR GRADER, END DUMP, AND RUBBER TIRED LOADERS

CATERPILLAR Model 12G Motor Grader, s/n 61M1024, powered by Cat 3306 diesel engine and powershift transmission, equipped with 12' hydraulic moldboard, front mounted scarifier, enclosed ROPS cab, light package, and 14.00-24 tires. In good condition with fair to good tires. (GOH)

MACK Model M35X, 35 Ton End Dump, s/n 2654S, powered by Detroit V-8 diesel engine and direct drive transmission, equipped with 18.00R25 tires. In good condition with good tires.

FIAT ALLIS Model 545B Rubber Tired Loader, s/n 2229, powered by Allis Chalmers 6 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket, enclosed cab (missing glass and doors), and 17.5x25 tires. In fair condition with fair tires. (Brayman)

FIAT ALLIS Model 545B Rubber Tired Loader, s/n 1103, powered by Allis Chalmers 6 cylinder diesel engine and powershift transmission, equipped with general purpose loader bucket, enclosed cab (missing glass) and 17.5x25 tires. In fair condition with fair to good tires. (Brayman)



HITACHI UH025



KOMATSU PC15

MOTOR GRADER, END DUMP, AND RUBBER TIRED LOADERS (CONT.)

CATERPILLAR Model 950 Rubber Tired Loader, s/n 81J1251, powered by Cat 3304 diesel engine and powershift transmission, equipped with general purpose loader bucket and 17.5-25 tires. In fair condition with fair tires. (GOH)

ACS Boom Attachment (OEC)

VIBRATORY COMPACTORS

2000 INGERSOLL RAND Model SD70D Pro Pac Vibratory Compactor, s/n 164077, powered by Cummins 3.9 liter, 95HP diesel engine and hydrostatic transmission, equipped with 66" smooth drum, drum drive, ROPS canopy, and 14.9x24 tires. In good condition with good tires. (CJAT)

1996 HYPAC Model C850B Vibratory Compactor, s/n B188C2031T, powered by Cummins 5.9L diesel engine and hydrostatic transmission, equipped with 84" smooth drum, drum drive, ROPS canopy, and 18x26 tires. In fair condition with fair tires. (JAT)

BROS Model SPV-7 Vibratory Compactor, s/n SPV105, powered by Detroit 3 cylinder diesel engine and hydrostatic transmission, equipped with 72" smooth drum, wheel drive, and 18.4x26 tires. In fair to good condition with good tires. (Brayman)

TRACTOR LOADER BACKHOES

1997 JOHN DEERE Model 310E, 4X4 Tractor Loader Extend-A-Hoe, s/n T0310EX827378, powered by John Deere diesel engine and shuttle transmission, equipped with general purpose loader bucket, 24" digging bucket, enclosed ROPS cab with light package, 12x16.5 front and 16.9x24 rear tires. In good condition with fair to good tires. (CJAT)

CASE Model 480D Tractor Loader Backhoe, s/n 9050765, powered by Case 4 cylinder diesel engine and shuttle transmission, equipped with general purpose loader bucket with bolt-on cutting edge, 24" digging bucket, enclosed ROPS cab with heat, light package, and 11L-16 front and 17.5L-24 rear tires. In good condition with good tires. (SSI)

2002 BOBCAT Model B100A Tractor Loader Backhoe, s/n 570111021, powered by diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, quick disconnect (front and rear), front auxiliary hydraulics, 24" digging bucket, ROPS canopy, light package, and 23x8.50-12 front and 10.0/75-15.3 rear tires. In good condition with fair tires. (IR)

2002 BOBCAT Model B100A Tractor Loader Backhoe, s/n 570111117, powered by diesel engine and hydrostatic transmission, equipped with general purpose loader bucket with teeth, quick disconnect (front and rear), front auxiliary hydraulics, 24" digging bucket, ROPS canopy, light package, and 23x8.50-12 front and 10.0/75-15.3 rear tires. In good condition with fair tires. (IR)

UTILITY TRACTOR, PTO, AND 3 POINT HITCH ATTACHMENTS

2004 KUBOTA Model L3830D, 4x4 Utility Tractor, s/n 33357, powered by 3 cylinder diesel engine and hydrostatic transmission, equipped with Kubota LA723 loader attachment with quick disconnect loader bucket, 3-point hitch, PTO auxiliary hydraulics, roll-bar, light package, 10x16.5 front and 17.5x24 calcium filled rear tires. In very good condition with good to very good tires. (291 Original Hours) (JW)

2000 WOODS BH7500-1 Ground Breaker 3-Point Hitch Backhoe Attachment, s/n 75091T, with 12" digging bucket and outriggers (JW) • **DEGELMAN RR1500 PTO Driven Aerator/Rock Rake**, s/n 2917, equipped with 14' rotary aerator/stone blade, manual angle, and 9.5Lx15 tires. In good to very good condition. (OEC) • **KUBOTA BL52C, 3-Point Hitch Roto Tiller**, s/n 20410 (JW) • **2004 WOODS 72" LR72 Stone Rake**, s/n 872846 (JW) • **WOODS 7' 3-Point Hitch Grading Blade (JW)** • **30" Quick Disconnect Fork Attachment (JW)** • **Fork Attachment Man Basket (JW)**



(1) OF (2) '02 BOBCAT B100A's



DEGELMAN RR1500



FFC 75 INCH PREPARATOR



VERMEER T-600D



FINN T-30 HYDROSEEDER



CAT 12G



'00 IR SD70D



(1) OF (2) FIAT ALLIS 545B's



CASE 480D

SKID STEER LOADERS AND ATTACHMENTS

2000 BOBCAT Model 863G Skid Steer Loader, s/n 514444790, powered by 4 cylinder diesel engine and hydrostatic transmission, equipped with quick disconnect and 12-16.5 tires. In fair condition with very good tires. (IR)

1999 BOBCAT Model 763 Skid Steer Loader, s/n 512237851, powered by 4 cylinder diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, quick disconnect, auxiliary hydraulics, and 10-16.5 tires. In fair condition with fair to poor tires. (IR)

2000 BOBCAT Model 453 Skid Steer Loader, s/n 515013760, powered by diesel engine and hydrostatic transmission, equipped with general purpose loader bucket, quick disconnect, auxiliary hydraulics, and 23x8.50-12 tires. In fair condition with fair to poor tires. (IR)

2003 FFC Model LAF3576-0022, 75" Hydraulic Preparator Attachment, s/n C019011. In very good condition. (Skid Steer Loader) (AA)

GROUSER 8' Hydraulic 6-Way Blade Attachment (Unused) (Fits Bobcat) (OEC)

PORTABLE SCREENING PLANT AND CRAWLER EARTH SAW

1995 VIPER INTERNATIONAL Model Vipersizer Portable Screening Plant, s/n SA9001212SC066043, powered by 4 cylinder diesel engine, equipped with 6'x10' 2-deck screen, 60"x30" hydraulic folding discharge conveyor (New Belt - Removed), and (2) hydraulic stabilizers. In good condition. (OEC)

VERMEER Model T-600D Crawler Earth Saw, s/n 18957, powered by Detroit 4 cylinder diesel engine and hydraulic drive, equipped with 7'8" blade, operator console, 10'8" crawlers, and 15" pads. In good condition with good undercarriage. (OEC)

HYDROSEEDERS AND PORTABLE CHIPPER

2003 FINN Model T-30 Skid Mounted Hydroseeder, s/n RUA-858, powered by Kohler Pro 15, 15HP gas engine, equipped with 100' hose and (3) spray nozzles. In very good condition. (AA)

REINCO Model HG8A Portable Hydroseeder, s/n PA02CGP2U-RR23, powered by Wisconsin 4 cylinder gas engine, equipped with approx. 500 gallon tank, Denning loading and discharge pump, self-winding hose reel, spray gun, mounted on tandem axle trailer with 8x14.5 tires. In good condition with fair to good tires. (OEC)

1997 MORBARK Model 10 Portable Wood Chipper, s/n 8VWO-21413, powered by John Deere 4045DF150 diesel engine and Twin Disc torque converter, equipped with 10" feed opening, 360° discharge chute, and 7.00x15 tires. In good condition with good tires. (CJAT)

ROAD WIDENER AND CHIP SPREADERS
 1997 MIDLAND Model SP Road Widener, s/n 130, powered by John Deere 4 cylinder diesel engine and hydrostatic transmission, equipped with 2-3/4 hydraulic extendable strikeoff and (2) 2" and (1) 1" bolt-on extensions, and 11R22.5 front and 425/65R22.5 rear tires. In good condition with good tires. (00.637 Original Hours) (GOH)
 ROSCO Model SK-8 Chip Spreader, s/n 75130, powered by Detroit 4 cylinder diesel engine and powershift transmission, equipped with 11" spreader with (14) manual controls, 9/40 feed hopper, (2) 20x18" feed conveyors, truck hitch, light package, and 10.00x20 tires. In good condition with good tires. (GOH)
 KOEHRING Model SPK-H Rubber Tired Chip Spreader, s/n 74394, powered by Detroit 4 cylinder diesel engine and 4 speed transmission, equipped with (16) manual chip controls, 9/60 chip/conveyor bin, light package, and 10.00x20 tires. In good condition with good tires. (DC)

ASPHALT PAVER, SCREEDS, AND BARCO MILL
 1988 BLAW KNOX Model PF200 Rubber Tired Asphalt Paver, s/n 20004-13, powered by Cummins 4 cylinder diesel engine and hydrostatic transmission, equipped with Omni 10'-18" heated vibratory screed, dual operators consoles, and sold front and 18.00x25 rear tires. In fair condition with fair tires. (IR)
 (3) BLAW KNOX Model Omni VII, 10'-19.30" Heated Vibratory Screeds, s/n/s 11702-8, 11702NN1, and 11702NN2, each equipped with 3-stage telescopic screed, variable speed vibrators, auto temperature control, 180 screed surface, 1/20 screed plate thickness, mat depth control, and (2) with remotes. In good condition. (IR)
 BLAW KNOX Model Omni VIII, 10'-19.30" Heated Tamping/Vibratory Screed, s/n 11702-12, equipped with 3-stage telescopic screed, variable speed vibrators, auto temperature control, 180 screed surface, 1/20 screed plate thickness, and mat depth control. In good condition. (IR)
 BLAW KNOX Model 100 SCVL, 10' Wedgelock Screed, s/n 10619-04, equipped with (2) 3", (3) 1", and (2) 60 bolt-on extensions (IR)
 RAYGO Model 100B Barco Mill, s/n W010930606, powered by John Deere 4 cylinder diesel engine and hydrostatic transmission (milling), HI-Lo gear (transport), equipped with 160 cutter head, water system, ROPS canopy with light package, and 260 solid tires. In good condition with good tires. (DC)



'97 MIDLAND SP



ROSCO SK-8



BLAW-KNOX PF200




RAYGO 100B



'98 DYNAPAC CC122



DYNAPAC CC424




DYNAPAC CC12 II



INGRAM 9-3400-PA



DYNAPAC CC424



'97 HYDRA PLATFORM HP32



'97 MIDLAND SP

ASPHALT ROLLERS
 1998 DYNAPAC Model CC122 Tandem Vibratory Roller, s/n 60113377, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 470 smooth drums, drum cleaners, and water system. In good condition with good drums. (GOH)
 1989 DYNAPAC Model CC121I Tandem Vibratory Roller, s/n 5862112, powered by Deutz 2 cylinder diesel engine and hydrostatic transmission, equipped with 470 smooth drums, drum cleaners, and water system. In good condition with good drums. (GOH)
 1990 BOMAG Model BW161AD Tandem Vibratory Roller, s/n 101640500152, powered by Deutz 4 cylinder diesel engine and hydrostatic transmission, equipped with 660 smooth drums, drum cleaners, water system, and light package. In good condition with good drums. (DC)
 1987 DYNAPAC Model CC424 Tandem Vibratory Roller, s/n 1442D25, powered by Cummins 6B75.5 diesel engine and hydrostatic transmission, equipped with 660 smooth drums and water system. In good condition. (GOH)
 1986 DYNAPAC Model CC42 Tandem Vibratory Roller, s/n 1195, powered by Cat 320B diesel engine and hydrostatic transmission, equipped with 660 smooth drums and water system. In good condition. (GOH)
 1985 INGRAM Model 9-3400-PA, 9-Wheel Roller, s/n 557946-PA18, powered by John Deere 4239DF diesel engine and hydrostatic transmission, equipped with water system, wheel cleaners, and 7.50-15 tires. In fair condition with fair tires. (GOH)
 INGRAM Model 9-2800, 9-Wheel Roller, s/n 506253-PA6, powered by Detroit 3 cylinder diesel engine and hydrostatic transmission, equipped with water system and 7.50-15 tires. In fair condition with fair tires. (GOH)
 GALION 10-14 Ton Tandem Static Roller, s/n THP10-14D-58500, powered by Detroit 3 cylinder diesel engine and hydrostatic transmission, equipped with 540 smooth split front and 540 smooth rear drums and water system. In fair condition. (GOH)
 GALION 5-8 Ton Tandem Static Roller, s/n CD-61305, powered by Cummins 4 cylinder diesel engine and hydrostatic transmission, equipped with 500 smooth split front and smooth rear drums and water system. In fair condition. (GOH)
 GALION 5-8 Ton Tandem Static Roller, powered by Waukesha 6 cylinder diesel engine and hydrostatic transmission, equipped with 500 smooth split front and 500 smooth rear drums. In poor condition. (Parts Only - Engine Runs - Planetary Removed) (GOH)
 GALION 3-Wheel Roller, s/n CRG43479, powered by John Deere 4 cylinder diesel engine and hydrostatic transmission, equipped with 440 split front drum, 200 rear drums, and drum cleaners. In good condition with good drums. (DC)
 French Roller, s/n 26197, powered by Deutz diesel engine and hydrostatic transmission, equipped with 120 front wheel, 180 rear wheel, wheel cleaners, water system, and 235/85R16 leveling wheel. In good condition with good tires. (DC)

ASPHALT TANK TRAILERS AND DISTRIBUTOR TRUCK
 1972 MCCOY TAYLOR 6,500 Gallon Tandem Axle Asphalt Tank Trailer, equipped with insulated body and 10.00x20 tires. In fair to good condition with good tires. (DC)
 1969 TRAILMOBILE Model T411EBF, 6,500 Gallon Tandem Axle Asphalt Tank Trailer, equipped with insulated body and 10.00x20 tires. In fair to good condition with good, fair, and poor tires. (DC)
 1964 ETNYRE Model TR, 5,000 Gallon Tandem Axle Asphalt Tank Trailer, equipped with steel tank with aluminum insulated shell, heating flu, side and rear discharge, spring suspension, and 10.00-22 tires. In fair condition with fair tires. (GOH)
 1964 ETNYRE Model TR, 5,000 Gallon Tandem Axle Asphalt Tank Trailer, equipped with steel tank with aluminum insulated shell, heating flu, side and rear discharge, spring suspension, and 10.00-22 tires. In fair condition with fair tires. (GOH)
 1964 ETNYRE Model TR, 5,000 Gallon Tandem Axle Asphalt Tank Trailer, equipped with steel tank with aluminum insulated shell, heating flu, side and rear discharge, spring suspension, and 10.00-22 tires. In fair condition with fair tires. (GOH)
 1993 ETNYRE 8,000 Gallon Tandem Axle Asphalt Tank Trailer, s/n T2920, equipped with steel tank with aluminum insulated shell, 0.134 shell thickness, DOT Spec 49CFR173.247, 64,000# maximum payload capacity, side and rear discharge, spring suspension, and 11R22.5 tires. In fair condition with good tires. (Yard Storage Only - No Title) (GOH)
 1979 WHITE 2 Single Axle Cab Over Distributor Truck, powered by Cummins NTC230, 230HP diesel engine and 9 speed transmission, equipped with Etnyre model BX distributor body, s/n J-1657, 1,314 gallon capacity, 4 cylinder gas engine, propane heated, rear spray bars, hand wand, and 11R22.5 tires. In fair to good condition with good tires. (DC)

BRIDGE INSPECTION PLATFORM
 1997 HYDRA PLATFORM Model HP32 Bridge Inspection Platform, s/n 1H9US2636VS196091, powered by Kohler 18HP gas engine and hydrostatic transmission, equipped with 32' extendable platform, mounted on tri-axle carrier. In good condition with good tires. (644 Original Hours) (AI)



CONVENTIONAL TRUCK CRANES
 LINK-BELT Model HC-238A, 140 Ton Conventional Truck Crane, s/n 22HO-1572C, powered by Cummins N270CR diesel engine, equipped with 3rd drum, 180' tubular pin-connected boom, 50' basic (25' tip and 25' heel), (1) 400 insert, (2) 300 inserts, 400' jib, Wylie anti-two block device, mounted on 8x4 carrier, powered by Detroit diesel engine and Fuller Roadranger RTO-915, 15 speed transmission, equipped with (4) hydraulic outriggers and 14.00R24 tires. In good condition with good tires. (Certification Through September 2005) (Boom Inserts To Be Sold Separately) (MCW)
 LIMA Model 700TC, 75 Ton Conventional Truck Crane, s/n 37091, powered by Cummins N-855F1P160, equipped with 150' tubular pin-connected boom, 50' basic (30' tip and 20' heel), (1) 400 insert, (2) 300 inserts, 30' jib, PAT anti-two block device, mounted on 8x4 carrier, s/n 4787-1, powered by Cummins 6 cylinder diesel engine and 5 speed transmission with 3 speed auxiliary, (4) hydraulic outriggers, and 14.00x20 tires. In fair condition with fair tires. (MCW) (Boom Inserts Will Be Sold Separately)
 AMERICAN Model 5997, 50 Ton Conventional Truck Crane, s/n GS7746, powered by Detroit 6 cylinder diesel engine, equipped with 3rd drum, approximately 100' boom, mounted on FWD Model 84-45CC, 8x4 carrier, s/n J66494, powered by 6 cylinder diesel engine and 7 speed transmission with 4 speed auxiliary, and (4) hydraulic outriggers. In fair condition with fair tires. (Bryman)

HYDRAULIC ROUGH TERRAIN CRANE
 1992 LORAIN Model LRT445, 45 Ton Hydraulic Rough Terrain Crane, s/n 92058, powered by Cummins 6 cylinder diesel engine and powershift transmission, equipped with 33'-1051 4-section hydraulic boom and 33'-581 swingaway jib, main and auxiliary hoists, anti-two block device, (4) hydraulic outriggers, and 26.5-25 tires. In good condition with good tires. (MCW)

(15) 4X4 AERIAL LIFTS
 1994 SNORKEL Model Pro-126CU, 126', 4x4 Aerial Lift, s/n 9433850295, powered by Cummins 4 cylinder diesel engine and hydrostatic transmission, equipped with 300x920 2-man basket and 18-22.5 foam filled tires. In fair condition with fair tires. (MCW)
 1993 SNORKEL Model TB120, 120', 4x4 Aerial Lift, s/n 9303620673, powered by Cummins diesel engine and hydrostatic transmission, equipped with 300x920 2-man basket, hydraulic extendable front axle, and 18-22.5 foam filled tires. In good condition with fair tires. (MCW)
 1997 GROVE Model MZ90, 84', 4x4 Aerial Lift, s/n 43291, powered by Cummins 3.9 liter diesel engine and hydrostatic transmission, equipped with 2-man basket, and 445/65R22.5 foam filled tires. In good condition with good tires. (MCW)
 1999 TEREX Model TA64, 64', 4x4 Aerial Lift, s/n 99230045, powered by Continental 4 cylinder diesel engine and hydrostatic transmission, articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 1999 TEREX Model TA64, 64', 4x4 Aerial Lift, s/n 99230043, powered by Continental 4 cylinder diesel engine and hydrostatic transmission, articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 1999 TEREX Model TA64, 64', 4x4 Aerial Lift, s/n 99230034, powered by Continental 4 cylinder diesel engine and hydrostatic transmission, articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 37699, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with fair tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 37698, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 37449, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 37448, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 35845, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with fair tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 35639, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with fair to good tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 35410, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 1996 GROVE Model AMZ68XT, 60', 4x4 Aerial Lift, s/n 35918, powered by Deutz diesel engine and hydrostatic transmission, equipped with articulating boom, 2-man basket, and 15-19.5 foam filled tires. In good condition with good tires. (MCW)
 SIMON Model AT60C, 60', 4x4 Aerial Lift, powered by Ford 4 cylinder dual fuel engine and hydrostatic transmission, equipped with 60' lift height, 300x600 man basket, and 185/44-16.5LT tires. In fair to good condition with fair to good tires. (ECO)

TRUCK TRACTORS AND LOWBOY TRAILER
 1989 MACK Model RW613 Econodyne Super Liner Tri-Axle Truck Tractor, powered by Mack E9-500, 500HP diesel engine and Mack 9 speed transmission, equipped with wetline, 2490 wheelbase, air side 5th wheel, air ride suspension, Hendrickson HL series Dial-A-Ride auxiliary axle system, aluminum Budd wheels, engine brake, aluminum diamond plate rear fenders, side toolboxes, heated mirrors, AM/FM cassette, and 11R24.5 tires. In good condition with good tires. (DC)
 1987 MACK Model RW613 Super Liner Tri-Axle Truck Tractor, powered by Mack E6-350, 350HP diesel engine and Mack 9 speed transmission, equipped with wetline, 2060 wheelbase, air side 5th wheel, air ride suspension, aluminum Budd wheels, engine brake, air conditioning, AM/FM cassette, and 11R24.5 tires. In good condition with good tires. (DC)
 1987 ROGERS 50 Ton Tri-Axle Lowboy Trailer, equipped with hydraulic detachable ground bearing gooseneck, 23' drop side deck, 1180 over wheels, chain dogs, and 255/70R22.5 tires. In good condition with good tires. (DC)

MECHANICS, KNUCKLEBOOM, AND TIRE SERVICE TRUCK
 1999 INTERNATIONAL Model 4700 Single Axle Mechanics Truck, powered by Intl B175 diesel engine and Spicer 5 speed transmission with 2 speed rear, equipped with Stahl 111 8-compartment mechanics body, Stahl 151 3,200# service crane, s/n C-4932044, 1520 wheelbase, cruise control, and 10R22.5 tires. In good condition with good tires. (MCW)
 1989 INTERNATIONAL Model 1954 Single Axle Knuckleboom Truck, powered by International D446 diesel engine and 5 speed transmission with 2 speed rear, equipped with IMT model 215, 2-stage hydraulic knuckleboom, s/n 03708772, with 14110 reach, 2240 lift height, Mack 1160 flatbed with bulkhead, (2) hydraulic stabilizers, electric trailer brakes, air conditioning, AM/FM cassette, and 10R22.5 tires. In good condition with good tires. (SSI)
 1991 FORD Model F-350 Custom Single Axle Tire Service Truck, powered by 8 cylinder gas engine and 4 speed transmission, equipped with 10' high side body with lift gate, under body air compressor, top mounted air storage tank, self-winding hose reel, Chelsea PTO, amber beacon lights and flash bar, AM/FM radio, and 245/75R16 tires. In good condition with good tires. (ConEd)




LINK-BELT HC-238A, 140 TON






LIMA 700TC, 75 TON




'92 LORAIN LRT445, 45 TON



'97 GROVE MZ90, 84'



'89 & '87 MACK RW613G



'99 INT'L 4700

DIGGER DERRICK, BUCKET TRUCKS, AND REEL UNLOADER TRUCKS
 1993 ALTEC Model D945TC Hydraulic Digger Derrick, s/n 0393-BA0151, equipped with 2-speed digger, 20,000# 3-section hydraulic derrick, pole grabs, hydraulic tool outlets, capstan winch, rear corner mounted on 1993 GMC Topkick Single Axle Line Body Truck, powered by Cat 3116 diesel engine and automatic transmission, equipped with 15' line body, 2-speed bed winch with fairlead, (4) hydraulic outriggers, and 275/80R22.5 tires. In fair to good condition with fair to good tires. (ConEd)
 1996 ALTEC Model LR42, 42' Bucket, s/n 1096BG0131, equipped with 350# single man basket with hydraulic tool outlets, insulated boom insert, mounted on 1996 GMC Model Topkick Single Axle Line Truck, powered by Cat 3116, 185HP diesel engine and automatic transmission, equipped with Altec 111 line body and 255/80R22.5 tires. In good condition with fair to good tires. (ConEd)
 1995 ALTEC Model LR42, 42' Bucket, s/n 0895BG0086, equipped with 350# single man basket with hydraulic tool outlets, insulated boom insert, mounted on 1995 GMC Model Topkick Single Axle Line Truck, powered by Cat 3116, 185HP diesel engine and automatic transmission, equipped with Altec 111 line body and 255/80R22.5 tires. In fair to good condition with fair to good tires. (ConEd)
 1989 HI-RANGER Model 5F4-48PB1, 48' Bucket Truck, s/n 118916774, equipped with 500# capacity, mounted on 1989 Ford Model F-800 Single Axle Line Body Truck, powered by Ford 6 cylinder diesel engine and automatic transmission, equipped with air brakes and 11R22.5 tires. In fair to good condition with good tires. (ConEd)
 1990 FORD Model F-600 Single Axle Line Body Truck, powered by Ford 6.6L diesel engine and automatic transmission, equipped with 1290 line body, steel grated swing rear doors, tool outlets, pintle hitch, and 10R22.5 tires. In fair to good condition with good tires. (ConEd)
 OK CHAMPION Model RL12047 Hydraulic Reel Loader/Unloader, s/n 925656-222, equipped with (2) hydraulic reel holders, bed winch with fairlead, Capstan winch, hydraulic tool outlets, (2) hydraulic stabilizers, mounted on 1992 MACK MR688S Tandem Axle Cabover Carrier, automatic transmission, equipped with 18,000# front and 44,000# rear axles and 11R22.5 tires. In fair to good condition with fair to good tires. (ConEd)
 Hydraulic Reel Loader/Unloader, equipped with single reel holders, bed winch with fairlead, hydraulic tool outlets, (2) rear stabilizers, mounted on 1990 FORD Model L8000 Tandem Axle Carrier, powered by 6 cylinder 240HP diesel engine and automatic transmission, equipped with 11R22.5 tires. In fair condition with good tires. (ConEd)

DUMP TRUCKS AND DUMP BODY
 1999 MITSUBISHI Model FUSO Single Axle Cab Over Stake Body Dump Truck, powered by Mitsubishi 6 cylinder diesel engine and automatic transmission, equipped with 12' dump body with manual tarp, 400 stake sides, Tommy model 911650 lift gate, air conditioning, and 215/75R17.5 tires. In good condition with good tires. (AA)
 1988 GMC Model Topkick Single Axle Dump Truck, powered by Detroit 8.2L diesel engine and 5 speed transmission with 2 speed rear, equipped with Peabody Gallon 10' steel dump body with (2) chutes, 11 840# front and 20,760# rear axles, Chelsea PTO, electric trailer brakes, AM/FM stereo, and 11R22.5 tires. In good condition with fair to good tires. (SSI)
 17' Aluminum Dump Body, with asphalt tarp. In good condition. (GOH)

FLATBED TRUCKS
 1997 CHEVROLET Model C6500 Single Axle Crew Cab Flatbed Truck, powered by Cat 3116 diesel engine and 6 speed transmission, equipped with Stahl model 6000LRX, 6,000# 11'-20' hydraulic service crane, under-body tool boxes, (2) hydraulic stabilizers, Chelsea PTO, AM/FM stereo, and 245/70R19.5 tires. In fair to good condition with fair to good tires. (JAT)
 1980 GMC Model Fuel Pincher Single Axle Flatbed Truck, powered by GMC 6 cylinder diesel engine and 5 speed transmission with 2 speed rear, equipped with 9,000# front axle, 18,500# rear axle, 16'60 wooden flatbed with wooden stake sides and side under bed storage box, pintle hitch, tow bar, and 11R22.5 tires. In good condition with good tires. (DC)
 1976 CHEVROLET Model C60 Single Axle Flatbed Truck, powered by V-8 gas engine and 5 speed transmission with 2 speed rear, equipped with 15' steel flatbed with under body storage box, and 11R22.5 tires. In fair to good condition with good tires. (DC)
 1992 FORD Model F350 Single Axle Flatbed/Service Truck, powered by 7.3 liter diesel engine and 5 speed transmission, equipped with 10' wooden flatbed with 160 metal stake sides, side mounted tool boxes, dual fuel tanks, drawbar, AM/FM stereo, and 215/85R16 tires. In fair to good condition with good tires. (DC)
 1990 FORD Model F-450 Super Duty XLT Lariat Single Axle Flatbed Truck, powered by diesel engine and automatic transmission, equipped with 108' flatbed with sign rack, side mounted toolboxes, and under bed storage box, dual fuel tanks, aluminum running boards, power locks and windows, cruise control, air conditioning, AM/FM cassette, and 235/85R16 tires. In good condition with fair to good tires. (DC)
 1991 GMC Model 3500, 4x4 Flatbed Truck, powered by V-8 gas engine and automatic transmission, equipped with 10' flatbed, 300 stake sides, 7'60 snowplow, and 225/75R16 tires. In poor condition with good and fair tires. (Drive Shaft Broken: Body Poor) (ConEd)

WATER TRUCK, CAB & CHASSIS, AND STEP VAN
 1981 INTERNATIONAL Model 2554 Single Axle Water Truck, powered by International 6 cylinder diesel engine and 5 speed transmission with 2 speed rear, equipped with approximately 3,000 gallon water body, and 10.00x20 tires. In good condition with good tires. (DC)
 1986 MACK Model MH613 Tandem Axle Cab Over Cab and Chassis, powered by Mack 6 cylinder diesel engine and Mack 9 speed transmission, equipped with 1530 wheelbase, engine brake, heated mirror, air conditioning, and 11R22.5 tires. In fair to good condition with good tires. (DC)
 1985 MACK Model MH613 Tandem Axle Cab Over Cab and Chassis, powered by Mack 6 cylinder diesel engine and Mack 9 speed transmission, equipped with 1530 wheelbase, engine brake, air ride suspension, heated mirrors, AM/FM stereo, and 11R22.5 tires. In fair to good condition with good tires. (DC)
 1991 GMC Step Van, powered by 8 cylinder gas engine and automatic transmission, equipped with Grumman 13' van body with shelves and roll-up rear door, pintle hitch, 14,100# GVWR, and 8R22.5 tires. In good condition with good tires. (ConEd)

TAG-A-LONG TRAILERS
 1998 INTERSTATE Model 20D2, 10 Ton Tandem Axle Tag-A-Long Interstate Trailer, equipped with 8x19' load deck, 5' beavertail with folding ramps, electric brakes, 23,900# GVWR, and 9.50x16.5LT tires. In good condition with good tires. (CJAT)
 1998 BFC Model EH610-1812 Tandem Axle Tag-A-Long Trailer, equipped with 6'60x16' deck, 4'60 ramps, electric brakes, and LT235/85R16 tires. In good condition with good tires. (AA)
 1989 HOOBLER 9 Ton Tri-Axle Tag-A-Long Trailer, equipped with 18' level deck, 4' beavertail, 50 ramps, electric brakes, and 8-1.5 tires. In good condition with fair tires. (MAC)
 2004 CUSTOM FAB 7,000# Tandem Axle Tag-A-Long Trailer, equipped with 18' deck, beavertail, and 215/75R15 tires. In good to very good condition with good tires. (JW)

PANEL VANS, PICKUP TRUCK, AND 4-DOOR SEDANS
 2001 FORD Model E-250 Panel Van, powered by Triton V-8 gas engine and automatic transmission, equipped with metal shelving, ladder rack, air conditioning, AM/FM stereo, and 245/75R16 tires. In good condition with fair to good tires. (MAC)
 1995 DODGE Model Caravan Mini Panel Van, powered by V-6 gas engine and automatic transmission, equipped with metal shelving, ladder rack, cruise control, AM/FM cassette, and 195/75R15 tires. In fair to good condition with fair tires. (MAC)
 1996 FORD Model F-250 XL Super Stroke, 4x4 Extended Cab Pickup Truck, powered by International 7.3 liter Turbo diesel engine and automatic transmission, equipped with 8' bed, dual fuel tanks, tow package, air conditioning, AM/FM stereo, and 235/85R16 tires. In good condition with good tires. (DC)
 2001 BUICK Model Century Custom 4-Door Sedan, powered by V-6 gas engine and automatic transmission, equipped with power windows and locks, cruise control, air conditioning, On-star system, and 205/70R15 tires. In good condition with good tires. (ConEd)
 1998 FORD Model Contour SE 4-Door Sedan, powered by 4 cylinder gas engine and automatic transmission, equipped with power windows and locks, cruise control, air conditioning, and 185/70R14 tires. In good condition with fair tires. (ConEd)

CONVERTIBLE AND ATV
 1973 FORD Mustang Convertible, powered by V-8 gas engine and automatic transmission, equipped with power convertible top, rear spoiler, white vinyl interior, bucket seats, and 245/50R15 tires. In good to very good condition with good tires. (ECO)
 JOHN DEERE Model Gator 6x4 All Terrain Vehicle, s/n 6015, powered by Yanmar 3 cylinder diesel engine and hydrostatic transmission, equipped with electric dump body and AT25x13.9 tires. In good condition with very good tires. (ECO)

TRENCH COMPACTORS AND WALK BEHIND BROOM
 STONE Model RD33HTR Walk-Behind Vibratory Padfoot Trench Compactor, s/n 3198438, powered by Hatz 2 cylinder diesel engine and hydrostatic transmission, equipped with 340 split front and rear drums and drum cleaners. In good condition with good drums. (JBC)
 WACKER WDH86-110 Walk Behind Trench Compactor, s/n 617802883 (OEC) Y 1989 RAMMAX P33/24 Walk Behind Trench Compactor, s/n 6262 (OEC) Y RAMMAX Walk Behind Trench Compactor (OEC) Y SWEEPSTER 360 Walk-Behind Broom, s/n 65275, powered by Briggs & Stratton 5HP gas engine. In good condition. (JBC)

FORKLIFTS
 CLARK Model IT60, 5,245# Rough Terrain Forklift, s/n IT581-45-4855, powered by Ford 6 cylinder gas engine and shuttle transmission, equipped with 2-stage mast, 1360 lift height, 480 forks, hydraulic fork positioning, side shift, enclosed cab, and 15-19.5 front and 12-16.8 rear tires. In fair condition with fair tires. (MAC)
 TOWMOTOR Model 440SLP4015, 4,000# Solid Tired Forklift, s/n 440S620055, powered by 4 cylinder propane engine and shuttle transmission, equipped with 1440 3-stage mast, tilt, 420 forks, and operator protection. In good condition with fair to good tires. (JBC)
 CATERPILLAR 12,000# Rigging Forklift, powered by dual fuel LPG gas engine (MAC) Y (2) JCB Hydraulic Forklift Mast, 10,000# capacity (No Forks) (OEC) Y (2) TOWMOTOR Battery Chargers (MAC)

AIR COMPRESSORS, ARROWBOARDS, LIGHT PLANT, AND PRESSURE WASHERS
 ATLAS COPCO Model XAS85DD Portable Air Compressor, s/n ARP906575, powered by Deutz 3 cylinder diesel engine, equipped with 205/75R14 tires. In fair condition with fair tires. (Bryman)
 1987 DAVEY Model 125RPDQ, 125CFM Portable Air Compressor, s/n 38111, powered by JD 3179DF diesel engine. In fair condition with poor tires. (Bryman)
 1987 DAVEY Model 160RPDQ, 160CFM Portable Air Compressor, s/n 38285, powered by JD 4239DF diesel engine. In fair condition with fair to poor tires. (Bryman)
 ARROWMASTER Solar Powered Portable Arrowboard, equipped with P185/75R14 tires. In fair condition with good condition. (DC)
 ARROWMASTER Solar Powered Portable Arrowboard, equipped with P185/75R14 tires. In fair condition with good condition. (DC)
 ALLMAND BROS. Model SE253FS Portable Arrow Board, s/n 9309B419, battery powered (OEC)
 AMIDA Model L1B5080DMH Portable Light Plant, s/n 9008B1648, powered by Lister 2 cylinder diesel engine, equipped with manual raise and lower, and 215/70R15 tires. In good condition with good tires. (DC)
 (3) 2005 AQUABLAZE Model AB4040DFG Portable Pressure Washer/Steam Cleaners, s/n 50330, s/n 50331, s/n 50332, powered by Honda GX390, 13HP gas engine, equipped with 4,000PSI, 50' non-marking hose with nozzle, and chemical/soap injector. (NEW) (Camp)
 WHITCO Stinger 3 Steam Cleaner, s/n 199-130, single phase 220-volt electric, soap and wand (JW)

SURVEY EQUIPMENT
 (3) 2005 ROBOLASER Self Leveling Laser Levels, equipped with remote, adjustable tripod, and grade rod. (NEW) (One-Year Warranty) (CM) Y (2) 2005 GEOTOP Model 32X Long Range Automatic Levels, equipped with adjustable tripod and telescoping survey rod. (NEW) (One-Year Warranty) (CM) Y (3) 2005 DEWALT Transit Levels, equipped with adjustable tripod and telescoping